

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-10-05 07:00 - 2026-10-12 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_3
Description Fjordveien 31
Sensor type S50
Sensor serial no. 13834
Master(s) serial no. 5678
Latest calibration 2025-07-16
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-10-05	55.8	72.6	52.26	74.1	48.69	69.3	–	–
Tuesday	2026-10-06	56.33	86.4	52.37	74.3	48.21	73.1	–	–
Wednesday	2026-10-07	55.67	80.4	53.25	72.3	51.56	70.4	–	–
Thursday	2026-10-08	60.6	80.1	58.62	80.1	51.06	71.5	–	–
Friday	2026-10-09	57.78	77.7	51.59	76.3	47.57	67.3	–	–
Saturday	2026-10-10	58.55	77.5	54.4	71.8	50.63	74.6	–	–
Sunday	2026-10-11	–	–	–	–	48.52	71.7	55.3	83.1

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-10-05 07:00 - 2026-10-12 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_5
Description Dr. Galtungs vei 1
Sensor type S50
Sensor serial no. 14507
Master(s) serial no. 5276
Latest calibration 2025-03-04
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-10-05	56.9	86.5	52.11	72.4	51.35	72.1	–	–
Tuesday	2026-10-06	60.84	87.5	49.96	72.3	46.92	73.3	–	–
Wednesday	2026-10-07	63.2	91.3	49.98	71.5	48.33	69.8	–	–
Thursday	2026-10-08	62.39	87.6	56.49	78.2	49.67	73.8	–	–
Friday	2026-10-09	62.07	84.2	47.39	67.9	43.82	63.8	–	–
Saturday	2026-10-10	63.58	90.8	49.56	66.3	45.94	74.7	–	–
Sunday	2026-10-11	–	–	–	–	45.71	79.2	50.39	75.9

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-10-05 07:00 - 2026-10-12 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_14
Description Carl Jenssens vei 24
Sensor type S50
Sensor serial no. 12888
Master(s) serial no. 5541
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-10-05	49.66	76.8	40.6	74.1	40.59	71.9	–	–
Tuesday	2026-10-06	55.24	95.9	39.72	65.8	40.78	65.2	–	–
Wednesday	2026-10-07	46	83.1	41.9	70	44.8	63.9	–	–
Thursday	2026-10-08	50.61	81.2	48.69	72.6	45.31	66.7	–	–
Friday	2026-10-09	46.67	78.1	36.74	58.4	39.56	67.9	–	–
Saturday	2026-10-10	47.37	72.2	43.16	57.2	42.06	66.8	–	–
Sunday	2026-10-11	–	–	–	–	41.47	67	44	76.2

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-10-05 07:00 - 2026-10-12 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_16
Description Løkkegata 2
Sensor type S50
Sensor serial no. 16458
Master(s) serial no. 7370
Latest calibration 2024-11-21
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-10-05	61.69	83.6	52.41	77.1	48.42	69.9	–	–
Tuesday	2026-10-06	61.29	89.8	51.91	68.5	48.16	69.2	–	–
Wednesday	2026-10-07	58.92	87.1	53.46	78.8	51.14	74.8	–	–
Thursday	2026-10-08	60.96	79.3	56	72.1	48.87	65.9	–	–
Friday	2026-10-09	58.22	83.1	51.76	66.6	45.62	71.3	–	–
Saturday	2026-10-10	60.11	82.1	52.55	65.6	47.08	66.5	–	–
Sunday	2026-10-11	–	–	–	–	47.84	68.8	53.76	85.7

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-10-05 07:00 - 2026-10-12 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_17
Description Sturlas vei 11
Sensor type S50
Sensor serial no. 11259
Master(s) serial no. 4426
Latest calibration 2025-11-03
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-10-05	54.9	81.8	47.62	72.9	48.82	81.9	–	–
Tuesday	2026-10-06	55.93	87.7	45.98	70.7	47.31	80.3	–	–
Wednesday	2026-10-07	54.62	81.7	49.76	80.4	48.79	75.6	–	–
Thursday	2026-10-08	54.72	79.2	59.39	80.6	52.5	77.2	–	–
Friday	2026-10-09	51.76	81.9	45.16	69.8	45.51	75.1	–	–
Saturday	2026-10-10	53.07	80.8	52.7	81	49.07	78.5	–	–
Sunday	2026-10-11	–	–	–	–	39.17	67.6	51.6	87.7

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-10-05 07:00 - 2026-10-12 07:00 (Europe/Oslo)

NB!

Values are corrected by -6 dBA

Measuring point KK_19
Description Værlegata 14 Øst
Sensor type S50
Sensor serial no. 16455
Master(s) serial no. 4545
Latest calibration 2024-11-21
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-10-05	58.75	90.6	52.77	80.1	49.51	72	–	–
Tuesday	2026-10-06	58.43	91.9	51.28	77.3	47.11	77.9	–	–
Wednesday	2026-10-07	57.47	80.2	53	77.4	51.46	71.4	–	–
Thursday	2026-10-08	59.74	83.3	54.27	74	47.02	76	–	–
Friday	2026-10-09	58.07	89.6	51.58	73	46.88	70.3	–	–
Saturday	2026-10-10	57.39	89.4	52.33	74	48.49	77.5	–	–
Sunday	2026-10-11	–	–	–	–	47.26	84	52.64	78.3

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-10-05 07:00 - 2026-10-12 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_20
Description Høyenhaldgata 8A-L
Sensor type S50
Sensor serial no. 11966
Master(s) serial no. 3578
Latest calibration 2026-05-04
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-10-05	52.73	73.5	50.28	84.3	48.58	76.9	–	–
Tuesday	2026-10-06	55.11	87.1	47.14	66.1	42.53	69.3	–	–
Wednesday	2026-10-07	51.64	75.1	44.63	67.6	44.11	68	–	–
Thursday	2026-10-08	55.05	78.4	52.79	78.4	47.03	70.3	–	–
Friday	2026-10-09	52.87	89.7	43.54	68.2	37.8	65.9	–	–
Saturday	2026-10-10	51.95	73.9	45.98	69.1	41.32	68.2	–	–
Sunday	2026-10-11	–	–	–	–	40.55	66.9	47.7	74.9

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-10-05 07:00 - 2026-10-12 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_21
Description Fjordveien 34
Sensor type S50
Sensor serial no. 14065
Master(s) serial no. 7369
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-10-05	59.16	83.9	51.69	66.6	49.45	67.9	–	–
Tuesday	2026-10-06	58.73	86.3	47.12	68.7	43.48	67.6	–	–
Wednesday	2026-10-07	58.69	85.7	46.51	63.3	47.21	66.7	–	–
Thursday	2026-10-08	61.72	84.8	56.94	82.2	51.14	79.4	–	–
Friday	2026-10-09	62	82.1	44.85	66.1	41.01	57.9	–	–
Saturday	2026-10-10	55.21	78.1	47.61	62.4	44.21	69.2	–	–
Sunday	2026-10-11	–	–	–	–	42.79	70.3	48.68	73.1

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-10-05 07:00 - 2026-10-12 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_23
Description Dr. Galtungs vei 5
Sensor type S50
Sensor serial no. 15725
Master(s) serial no. 5879
Latest calibration 2025-09-23
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-10-05	61.22	84	55.29	70.3	52.52	72.5	–	–
Tuesday	2026-10-06	59.46	84.5	49.89	72.4	46.6	73.3	–	–
Wednesday	2026-10-07	58.5	82.4	50.07	70.2	49.91	66	–	–
Thursday	2026-10-08	59.46	82.1	56.62	77	51.01	68.4	–	–
Friday	2026-10-09	60.82	83.2	47.9	64.2	44.34	61.3	–	–
Saturday	2026-10-10	54.93	70.5	49.41	71.6	46.27	74.2	–	–
Sunday	2026-10-11	–	–	–	–	45.46	77	50.85	76.4

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-10-05 07:00 - 2026-10-12 07:00 (Europe/Oslo)

NB!
Values are corrected by -3 dBA

Measuring point KK_27
Description Skolegata 1
Sensor type S50
Sensor serial no. 12688
Master(s) serial no. 7342
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -3 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-10-05	63.14	92.5	58.46	78.4	54.47	70.9	–	–
Tuesday	2026-10-06	62.99	93.2	58.6	75.8	54.53	73.4	–	–
Wednesday	2026-10-07	61.71	96.9	59.51	83.3	57.2	84	–	–
Thursday	2026-10-08	63.77	88.9	62.05	78.9	55.45	77.3	–	–
Friday	2026-10-09	61.41	95.4	57.46	77.3	52.26	73.2	–	–
Saturday	2026-10-10	62.8	85.9	59.28	90.7	54.03	88.2	–	–
Sunday	2026-10-11	–	–	–	–	54.11	74.4	59.99	85.9

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-10-05 07:00 - 2026-10-12 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_28
Description Snorres vei 4
Sensor type S50
Sensor serial no. 10756
Master(s) serial no. 5636
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-10-05	52.9	85.2	48.38	68.4	49.03	76.8	–	–
Tuesday	2026-10-06	56.09	89.4	45.75	68.2	44.96	67.9	–	–
Wednesday	2026-10-07	50.31	78.5	44.86	72.1	46.39	67.9	–	–
Thursday	2026-10-08	51.34	80	50.72	71.3	48.23	69.7	–	–
Friday	2026-10-09	49.08	75.2	42.03	68.2	43.82	69.4	–	–
Saturday	2026-10-10	50.23	74.8	45.14	74.6	45.76	72.8	–	–
Sunday	2026-10-11	–	–	–	–	45.47	70.1	46.86	88.3