

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-06-29 07:00 - 2026-07-06 07:00 (Europe/Oslo)

NB!
 Values are corrected by -6 dBA

Measuring point KK_3
Description Fjordveien 31
Sensor type S50
Sensor serial no. 13834
Master(s) serial no. 5678
Latest calibration 2025-07-16
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-06-29	56.25	93.7	51.6	73.1	47.53	71.1	–	–
Tuesday	2026-06-30	55.32	89.7	50.46	78.9	46.97	74.5	–	–
Wednesday	2026-07-01	54.7	80.2	51.59	84.2	46.87	71.7	–	–
Thursday	2026-07-02	56.17	77.9	53.32	75.7	48.87	79.9	–	–
Friday	2026-07-03	56.12	82.8	52.18	80.9	47.62	72.7	–	–
Saturday	2026-07-04	52.43	77.3	50.57	78.6	47.43	78.4	–	–
Sunday	2026-07-05	–	–	–	–	49.18	77.8	52.6	84.8

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-06-29 07:00 - 2026-07-06 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_5
Description Dr. Galtungs vei 1
Sensor type S50
Sensor serial no. 14507
Master(s) serial no. 5276
Latest calibration 2025-03-04
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-06-29	56.88	85.7	49.81	75.9	45.22	66.9	–	–
Tuesday	2026-06-30	60.44	92.8	47.01	72.8	44.18	74.7	–	–
Wednesday	2026-07-01	72.07	95.5	47.4	77.2	46.56	78.7	–	–
Thursday	2026-07-02	63.98	96.8	53.13	81.3	46.21	72.9	–	–
Friday	2026-07-03	58.87	82.6	48.75	76.6	44.57	70.2	–	–
Saturday	2026-07-04	53.25	86.1	47.11	75.3	44.6	74.8	–	–
Sunday	2026-07-05	–	–	–	–	46.11	71.9	49.97	78.9

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-06-29 07:00 - 2026-07-06 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_14
Description Carl Jenssens vei 24
Sensor type S50
Sensor serial no. 12888
Master(s) serial no. 5541
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-06-29	49.41	80.4	45.31	77.5	43.68	72.7	–	–
Tuesday	2026-06-30	47.85	84	40.3	66.4	39.33	64.9	–	–
Wednesday	2026-07-01	48.38	81.9	47.13	82.9	40.5	69.5	–	–
Thursday	2026-07-02	48.33	83.6	43.85	71.6	44.79	69.4	–	–
Friday	2026-07-03	53.22	90	44.83	77.3	43.64	73.3	–	–
Saturday	2026-07-04	42.31	83.3	40.22	70.6	43.03	76.1	–	–
Sunday	2026-07-05	–	–	–	–	42.69	67.9	45.54	87.7

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-06-29 07:00 - 2026-07-06 07:00 (Europe/Oslo)

NB!
 Values are corrected by -6 dBA

Measuring point KK_16
Description Løkkegata 2
Sensor type S50
Sensor serial no. 16458
Master(s) serial no. 7370
Latest calibration 2024-11-21
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-06-29	64.21	101.8	52.93	79.8	48.52	69.9	–	–
Tuesday	2026-06-30	62.97	79.9	52.3	74.8	48.29	68	–	–
Wednesday	2026-07-01	62.82	89.3	52.1	72.6	48.37	69.9	–	–
Thursday	2026-07-02	62.77	87.6	53.53	71.8	49.23	72.2	–	–
Friday	2026-07-03	60.99	84.8	52.41	76.6	47.62	73.5	–	–
Saturday	2026-07-04	58.14	79.6	53.1	83.1	49.1	75.4	–	–
Sunday	2026-07-05	–	–	–	–	49.43	75.1	52.76	87

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-06-29 07:00 - 2026-07-06 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_17
Description Sturlas vei 11
Sensor type S50
Sensor serial no. 11259
Master(s) serial no. 4426
Latest calibration 2025-11-03
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-06-29	57.06	85.7	52.31	81.6	46.94	79.8	–	–
Tuesday	2026-06-30	61.16	84.5	49.2	77.9	47.61	77.8	–	–
Wednesday	2026-07-01	59.06	88	46.81	73.6	51.02	83.2	–	–
Thursday	2026-07-02	60.35	89.9	54.52	84.1	47.78	76.7	–	–
Friday	2026-07-03	59.31	87.8	47.5	78.9	47.57	79.7	–	–
Saturday	2026-07-04	48.16	79.4	54.6	85.2	44.46	76.4	–	–
Sunday	2026-07-05	–	–	–	–	47.65	77.4	53.41	87.6

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-06-29 07:00 - 2026-07-06 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_19
Description Værlegata 14 Øst
Sensor type S50
Sensor serial no. 16455
Master(s) serial no. 4545
Latest calibration 2024-11-21
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-06-29	57.77	87.9	52.3	75.6	46.79	75.5	–	–
Tuesday	2026-06-30	58	83.4	53.24	85.3	48.96	88.5	–	–
Wednesday	2026-07-01	58.5	80.2	53.15	80.2	48.24	82.3	–	–
Thursday	2026-07-02	59.72	83.8	53.5	73.8	48.04	82.2	–	–
Friday	2026-07-03	58.47	89.3	53.02	86.3	45.94	77.9	–	–
Saturday	2026-07-04	54.92	84	53.23	88.4	47.3	76.5	–	–
Sunday	2026-07-05	–	–	–	–	47.9	76.6	52.15	79.7

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-06-29 07:00 - 2026-07-06 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_20
Description Høyenhaldgata 8A-L
Sensor type S50
Sensor serial no. 11966
Master(s) serial no. 3578
Latest calibration 2026-05-04
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-06-29	56.03	79.9	48.55	74.2	44.47	76.1	–	–
Tuesday	2026-06-30	55.92	76.8	45.76	72.5	42.6	75.7	–	–
Wednesday	2026-07-01	52.27	78	44.09	73.6	44.78	80.2	–	–
Thursday	2026-07-02	53.93	82.1	46	73.4	44.32	68.6	–	–
Friday	2026-07-03	55.31	79.2	47.57	78.7	44.66	75.4	–	–
Saturday	2026-07-04	50.86	78.4	45.97	80.5	46.34	80.5	–	–
Sunday	2026-07-05	–	–	–	–	44.72	70.4	47.5	77.2

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-06-29 07:00 - 2026-07-06 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_21
Description Fjordveien 34
Sensor type S50
Sensor serial no. 14065
Master(s) serial no. 7369
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-06-29	69.54	88.5	45.85	63.9	42.48	65.9	–	–
Tuesday	2026-06-30	62.57	91.4	43.01	66.8	39.57	67.7	–	–
Wednesday	2026-07-01	57.9	83.3	42.79	64.3	40.32	67.5	–	–
Thursday	2026-07-02	53.51	83.2	47.45	73.9	44.13	67.5	–	–
Friday	2026-07-03	53.86	78.3	45.74	70.2	43.01	68.9	–	–
Saturday	2026-07-04	47.22	75.6	43.82	66	42.89	76	–	–
Sunday	2026-07-05	–	–	–	–	45.91	72.3	48.61	77.7

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-06-29 07:00 - 2026-07-06 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_22
Description Carl Jenssens vei 18
Sensor type S50
Sensor serial no. 10756
Master(s) serial no. 5636
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-06-29	56.96	86.8	47.86	72.7	45.68	75.2	–	–
Tuesday	2026-06-30	52.7	81.9	45.17	68.3	43.4	71.7	–	–
Wednesday	2026-07-01	55.22	83.3	43.69	66.4	45.65	74.6	–	–
Thursday	2026-07-02	52.37	79.6	50.74	80	46.47	79.9	–	–
Friday	2026-07-03	52.17	76.9	46.94	79.1	46.57	74.6	–	–
Saturday	2026-07-04	45.54	79.1	48.88	79.4	45.52	74.7	–	–
Sunday	2026-07-05	–	–	–	–	45.3	74.9	47.06	80

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-06-29 07:00 - 2026-07-06 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_23
Description Dr. Galtungs vei 5
Sensor type S50
Sensor serial no. 15725
Master(s) serial no. 5879
Latest calibration 2025-09-23
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-06-29	66.88	85.4	49.12	69.2	44.86	69.9	–	–
Tuesday	2026-06-30	60.31	86.5	46.96	72.4	43.74	71.5	–	–
Wednesday	2026-07-01	58.09	81.6	46.29	67.6	45.57	75.4	–	–
Thursday	2026-07-02	54.61	81.2	51.71	80.1	45.94	71.4	–	–
Friday	2026-07-03	54.45	80.8	49.15	76.1	45.21	68.7	–	–
Saturday	2026-07-04	50.16	77.5	47.48	68.5	44.45	72.4	–	–
Sunday	2026-07-05	–	–	–	–	47.54	79.8	50.94	78.6

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-06-29 07:00 - 2026-07-06 07:00 (Europe/Oslo)

NB!
 Values are corrected by -6 dBA

Measuring point KK_26
Description Løkkegata 2 (Garasje Nord)
Sensor type S50
Sensor serial no. 12688
Master(s) serial no. 7342
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Friday	2026-07-03	55.4	93.6	51.6	73.7	46.89	74.3	–	–
Saturday	2026-07-04	53.17	75.7	51.57	75.4	47.2	75	–	–
Sunday	2026-07-05	–	–	–	–	49.48	77.1	51.89	87.2