

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-07-06 07:00 - 2026-08-03 07:00 (Europe/Oslo)

NB!

- Chart data is aggregated by 1 hour.
- Values are corrected by -6 dBA

Measuring point KK_3
Description Fjordveien 31
Sensor type S50
Sensor serial no. 13834
Master(s) serial no. 5678
Latest calibration 2025-07-16
Aggregate max
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
Aggregated time 1 hour
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-07-06	52.93	79.9	50.54	78.2	46.53	70.6	–	–
Tuesday	2026-07-07	54.69	73.4	–	–	48.05	74.3	–	–
Wednesday	2026-07-08	53.6	77.8	–	–	–	–	–	–
Thursday	2026-07-09	53.26	75.8	49.99	70.5	45.89	78.1	–	–
Friday	2026-07-10	53.1	80.2	–	–	43.96	66.2	–	–
Saturday	2026-07-11	51.69	78.2	51.41	74.2	48.89	85.3	–	–
Sunday	2026-07-12	–	–	–	–	47.24	77.6	52.32	85.5
Monday	2026-07-13	52.6	73.5	51.24	82.4	46.24	66.5	–	–
Tuesday	2026-07-14	53.58	85.3	50.6	75.1	47.3	73.3	–	–
Wednesday	2026-07-15	52.62	86	50.94	70.7	47.34	78.2	–	–
Thursday	2026-07-16	52.46	76.5	51.49	76	46.51	73.5	–	–
Friday	2026-07-17	52.03	80.1	51.01	83	48.58	75.4	–	–
Saturday	2026-07-18	56.51	78.9	56.17	69.3	50.84	69.5	–	–
Sunday	2026-07-19	–	–	–	–	48.2	76.3	54.49	79.1
Monday	2026-07-20	54.56	84.2	51.64	76.4	46.61	67.7	–	–
Tuesday	2026-07-21	52.34	81	50.98	81.3	47.76	72.6	–	–
Wednesday	2026-07-22	54.35	84.9	53.26	74.8	48.02	73	–	–
Thursday	2026-07-23	52.77	80	50.9	74.2	46	71	–	–
Friday	2026-07-24	52.92	81.9	50.31	72.3	46.12	72.5	–	–
Saturday	2026-07-25	53.13	80	52.26	73.1	47.26	73	–	–
Sunday	2026-07-26	–	–	–	–	46.49	69	52.07	86.4
Monday	2026-07-27	53.66	79.8	53.23	78	46.56	82	–	–
Tuesday	2026-07-28	53.27	81.8	50.92	73.8	46.71	77.7	–	–
Wednesday	2026-07-29	54.72	78.7	51.88	85.4	45.06	71.4	–	–
Thursday	2026-07-30	53.71	82.6	54.04	79.3	48.5	78.7	–	–
Friday	2026-07-31	53.35	79	50.59	72	48.3	86.3	–	–
Saturday	2026-08-01	52.56	78.1	51.26	74.7	48.69	77.2	–	–
Sunday	2026-08-02	–	–	–	–	47.15	68.3	51.45	80.2

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-07-06 07:00 - 2026-08-03 07:00 (Europe/Oslo)

NB!

- Chart data is aggregated by 1 hour.
- Values are corrected by -6 dBA

Measuring point KK_5
Description Dr. Galtungs vei 1
Sensor type S50
Sensor serial no. 14507
Master(s) serial no. 5276
Latest calibration 2025-03-04
Aggregate max
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
Aggregated time 1 hour
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-07-06	49.31	77.1	49.19	80.1	43.75	66.3	–	–
Tuesday	2026-07-07	52.01	85.1	48.79	75.9	45.69	74.9	–	–
Wednesday	2026-07-08	49.59	72.1	47.49	66.2	44.85	75.7	–	–
Thursday	2026-07-09	51.06	78.1	49.49	73.4	42.42	72.4	–	–
Friday	2026-07-10	49.79	79.5	48.23	78.1	42.28	69.1	–	–
Saturday	2026-07-11	50.5	78.7	48.94	77.4	44.29	69.3	–	–
Sunday	2026-07-12	–	–	–	–	43.49	66.9	47.82	78.9
Monday	2026-07-13	49.18	75.2	48.57	75.6	43.29	70.2	–	–
Tuesday	2026-07-14	50	78.6	46.93	71.5	44.28	71.4	–	–
Wednesday	2026-07-15	49.95	78.4	47.2	72.4	43.4	68.4	–	–
Thursday	2026-07-16	50.43	76.7	49.43	77.2	45.35	75.9	–	–
Friday	2026-07-17	50.53	82.2	47.39	82.1	45.76	74.1	–	–
Saturday	2026-07-18	51.41	71.2	50.84	71.3	47.43	68.6	–	–
Sunday	2026-07-19	–	–	–	–	44.4	72.6	49.75	78.4
Monday	2026-07-20	50.84	83	49.93	77.7	44.79	76.9	–	–
Tuesday	2026-07-21	49.51	75.8	47.08	72.1	45.19	74	–	–
Wednesday	2026-07-22	49.92	79.5	49.29	77.9	46.64	76.8	–	–
Thursday	2026-07-23	49.48	81.4	50.77	80.2	43.96	75	–	–
Friday	2026-07-24	50.35	80.8	48.13	78.4	45.57	73.9	–	–
Saturday	2026-07-25	51.13	72.9	54.11	83.3	47.81	74.9	–	–
Sunday	2026-07-26	–	–	–	–	45.33	67.8	50.49	85.4
Monday	2026-07-27	56.12	99.8	53.55	83.7	44.77	69.3	–	–
Tuesday	2026-07-28	61.7	96.9	49.62	72.7	47.24	70.4	–	–
Wednesday	2026-07-29	81.77	101.2	48.18	76.5	43.16	68.7	–	–
Thursday	2026-07-30	61.04	93.2	52.23	76.7	49.53	76.5	–	–
Friday	2026-07-31	64.99	90.4	48.53	73.5	48.88	75.1	–	–
Saturday	2026-08-01	54.55	86.9	52.11	73.4	50.08	69.9	–	–
Sunday	2026-08-02	–	–	–	–	46.93	70.6	50.84	77.2

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-07-06 07:00 - 2026-08-03 07:00 (Europe/Oslo)

NB!

- Chart data is aggregated by 1 hour.
- Values are corrected by -6 dBA

Measuring point KK_14
Description Carl Jenssens vei 24
Sensor type S50
Sensor serial no. 12888
Master(s) serial no. 5541
Latest calibration 2025-10-15
Aggregate max
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
Aggregated time 1 hour
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-07-06	44.42	84.4	40.12	63.7	41.77	68.7	–	–
Tuesday	2026-07-07	48.08	89.6	43.09	73.3	42.73	68.6	–	–
Wednesday	2026-07-08	45.75	84.3	49.79	69.6	42.48	76.8	–	–
Thursday	2026-07-09	44.17	85.2	40.55	63.2	42.4	71.9	–	–
Friday	2026-07-10	49.7	89	42.95	79	42.33	74.5	–	–
Saturday	2026-07-11	44.99	86.5	43.3	62	43.42	69.5	–	–
Sunday	2026-07-12	–	–	–	–	43.82	71.5	44.05	79.5
Monday	2026-07-13	44.61	88.5	40.85	70.7	42.47	75	–	–
Tuesday	2026-07-14	43.96	78.3	38.86	66.6	43.55	69	–	–
Wednesday	2026-07-15	45.68	86.5	40.86	71.5	41.54	72.4	–	–
Thursday	2026-07-16	43.06	80.8	40.85	70.6	44.07	79.1	–	–
Friday	2026-07-17	43.84	76.3	41.15	71.8	45.45	78.7	–	–
Saturday	2026-07-18	46.07	72.1	45.19	69.2	44.28	69	–	–
Sunday	2026-07-19	–	–	–	–	42.9	72.7	45.64	76.4
Monday	2026-07-20	48.72	83.3	42.69	70.3	42.17	74.3	–	–
Tuesday	2026-07-21	46.89	86.5	41.18	72.1	45.51	73.4	–	–
Wednesday	2026-07-22	47.17	81.2	44.69	77	43.94	80.9	–	–
Thursday	2026-07-23	43.04	78.6	42.32	65.1	40	72.4	–	–
Friday	2026-07-24	45.41	79.9	39.99	68.6	39.99	68.1	–	–
Saturday	2026-07-25	40.69	70.4	42.06	68.5	39.63	68	–	–
Sunday	2026-07-26	–	–	–	–	41.11	72.2	41.07	74.9
Monday	2026-07-27	45.44	82.1	45.2	72.8	42.22	68.5	–	–
Tuesday	2026-07-28	47.39	80.1	39.46	65.1	40.93	80.4	–	–
Wednesday	2026-07-29	44.63	79.7	39.54	69.8	40.14	72.7	–	–
Thursday	2026-07-30	45.4	78.4	45.49	73.5	44.02	76.8	–	–
Friday	2026-07-31	46.65	78.2	38.31	64.9	40.31	71.4	–	–
Saturday	2026-08-01	44.12	84.8	38.51	67.2	39.2	75.2	–	–
Sunday	2026-08-02	–	–	–	–	41.31	77.5	41.62	73.7

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-07-06 07:00 - 2026-08-03 07:00 (Europe/Oslo)

NB!

- Chart data is aggregated by 1 hour.
- Values are corrected by -6 dBA

Measuring point KK_16
Description Løkkegata 2
Sensor type S50
Sensor serial no. 16458
Master(s) serial no. 7370
Latest calibration 2024-11-21
Aggregate max
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
Aggregated time 1 hour
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-07-06	54.09	86.6	52.14	74	48.25	69.7	–	–
Tuesday	2026-07-07	54.57	77.7	52.53	77.2	48.18	73.7	–	–
Wednesday	2026-07-08	55.45	84.2	52.12	72.7	47.82	67.1	–	–
Thursday	2026-07-09	54.8	76.3	52.34	77	48.22	73.3	–	–
Friday	2026-07-10	53.14	81.9	53.23	83.9	46.37	72.4	–	–
Saturday	2026-07-11	52.08	82.8	50.84	70	46.84	76.6	–	–
Sunday	2026-07-12	–	–	–	–	47.32	74	52.18	85.5
Monday	2026-07-13	53.09	79.3	51.98	71.5	47.61	72	–	–
Tuesday	2026-07-14	53.9	84.6	51.34	66	47.86	74.3	–	–
Wednesday	2026-07-15	53.64	83	51.59	77.7	47.1	68.6	–	–
Thursday	2026-07-16	53.33	79.2	51.73	78	47.42	72.6	–	–
Friday	2026-07-17	53.16	84.1	51.78	80.3	47.41	77.4	–	–
Saturday	2026-07-18	54.17	79.8	54.54	78.1	48.85	70.8	–	–
Sunday	2026-07-19	–	–	–	–	48.01	72	53.63	76.1
Monday	2026-07-20	54.26	82.2	52.16	77.4	47.58	69.8	–	–
Tuesday	2026-07-21	53.19	79.4	51.72	76.7	48.4	77.1	–	–
Wednesday	2026-07-22	53.62	85.9	52.15	75.6	47.27	69.6	–	–
Thursday	2026-07-23	53.72	79.9	52.57	80	46.84	70.8	–	–
Friday	2026-07-24	54.78	87	51.72	69.6	45.46	67.9	–	–
Saturday	2026-07-25	53.44	76.8	52.7	70.9	46.33	69.5	–	–
Sunday	2026-07-26	–	–	–	–	48.13	80	52.9	84.2
Monday	2026-07-27	58.04	83.6	52.45	72.1	47.43	77.1	–	–
Tuesday	2026-07-28	58.64	81	52.06	75.6	47.32	67.8	–	–
Wednesday	2026-07-29	60.96	84.2	52.27	69.9	46.99	67.9	–	–
Thursday	2026-07-30	59.3	83.3	53.39	80	47.99	75.4	–	–
Friday	2026-07-31	61.65	85.7	51.21	75	45.56	73.1	–	–
Saturday	2026-08-01	59.31	88.8	51.85	81.4	46.43	70.9	–	–
Sunday	2026-08-02	–	–	–	–	47.84	73.6	52.05	73.1

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-07-06 07:00 - 2026-08-03 07:00 (Europe/Oslo)

NB!

- Chart data is aggregated by 1 hour.
- Values are corrected by -6 dBA

Measuring point KK_17
Description Sturlas vei 11
Sensor type S50
Sensor serial no. 11259
Master(s) serial no. 4426
Latest calibration 2025-11-03
Aggregate max
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
Aggregated time 1 hour
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-07-06	50.45	81.3	50.61	78.8	45.63	73.5	–	–
Tuesday	2026-07-07	55.76	85.9	52.41	82.8	50.68	82.1	–	–
Wednesday	2026-07-08	50.43	83.3	50.3	78.7	48.92	81.7	–	–
Thursday	2026-07-09	49.61	86.5	54.12	82.3	45.91	75.2	–	–
Friday	2026-07-10	50.9	87.9	50.48	88.9	43.85	72	–	–
Saturday	2026-07-11	49.81	87.8	55.57	86.4	44.93	72.4	–	–
Sunday	2026-07-12	–	–	–	–	46.87	79.1	51.68	85.4
Monday	2026-07-13	49.66	82.6	53.01	80.8	46.26	76.1	–	–
Tuesday	2026-07-14	52.21	82.9	49.04	79.9	50.07	79.1	–	–
Wednesday	2026-07-15	53.22	87.7	49.52	77.9	45.55	75.4	–	–
Thursday	2026-07-16	50.94	86.7	53.99	83.5	49.89	80.1	–	–
Friday	2026-07-17	51.15	86.4	46.1	78.1	49.01	75.8	–	–
Saturday	2026-07-18	53.08	81.7	54.05	78.3	53.34	79.9	–	–
Sunday	2026-07-19	–	–	–	–	48.42	80	52.12	87.7
Monday	2026-07-20	52.94	88.3	54.08	83.1	46.82	75.2	–	–
Tuesday	2026-07-21	50.82	83.3	49.58	77.5	50.12	77.1	–	–
Wednesday	2026-07-22	53.38	89.3	52.54	83.2	51.21	83.5	–	–
Thursday	2026-07-23	51.15	81.1	55.58	84.7	48.39	81.5	–	–
Friday	2026-07-24	52.53	85.4	45.12	76.8	45.02	74.7	–	–
Saturday	2026-07-25	47.76	80.3	53.67	83.1	42.52	73.9	–	–
Sunday	2026-07-26	–	–	–	–	47.21	78.8	51.07	83.5
Monday	2026-07-27	52.35	81.3	54.33	85.6	48.06	76.7	–	–
Tuesday	2026-07-28	56.81	86	50.94	79.7	44.27	77	–	–
Wednesday	2026-07-29	52.45	80	48.94	78.3	45.62	75.6	–	–
Thursday	2026-07-30	51.78	82.7	55.26	83.2	46.01	76.5	–	–
Friday	2026-07-31	52.97	90.1	43.93	77.6	46.71	75.3	–	–
Saturday	2026-08-01	50.33	79.3	48.49	78.8	42.16	73.5	–	–
Sunday	2026-08-02	–	–	–	–	47.82	77.8	52.22	86.5

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-07-06 07:00 - 2026-08-03 07:00 (Europe/Oslo)

NB!

- Chart data is aggregated by 1 hour.
- Values are corrected by -6 dBA

Measuring point KK_19
Description Værlegata 14 Øst
Sensor type S50
Sensor serial no. 16455
Master(s) serial no. 4545
Latest calibration 2024-11-21
Aggregate max
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
Aggregated time 1 hour
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-07-06	54.07	81.2	53.06	80.5	46.33	75.1	–	–
Tuesday	2026-07-07	53.95	87.3	51.96	76	46.23	71.6	–	–
Wednesday	2026-07-08	54.02	79.3	52.85	78.2	46.71	72.6	–	–
Thursday	2026-07-09	54.23	79	52.64	73.6	46.09	71.1	–	–
Friday	2026-07-10	54.1	80.6	52.7	84.7	47.78	79	–	–
Saturday	2026-07-11	53.32	81.6	51.24	79.4	49.2	84.9	–	–
Sunday	2026-07-12	–	–	–	–	46.89	84.3	52.05	81.9
Monday	2026-07-13	53.93	87.4	52.46	78.9	46.23	69.7	–	–
Tuesday	2026-07-14	54.13	88	51.75	73.4	47.08	74.4	–	–
Wednesday	2026-07-15	53.93	82.2	52.05	74.7	46.66	71.9	–	–
Thursday	2026-07-16	54.25	91.2	52.88	82	47.99	77.5	–	–
Friday	2026-07-17	54.13	83.2	52.2	79.3	49	81.1	–	–
Saturday	2026-07-18	53.88	80.7	53.48	77.1	49.49	84.2	–	–
Sunday	2026-07-19	–	–	–	–	46.86	74.5	52.81	83.5
Monday	2026-07-20	53.77	86.9	52.04	80.3	46.93	75.8	–	–
Tuesday	2026-07-21	54.48	82.8	53.33	83.7	47.59	75.7	–	–
Wednesday	2026-07-22	53.39	82.9	52.18	78.7	47.25	76.7	–	–
Thursday	2026-07-23	54.12	84.6	53.05	81.6	47.3	78.8	–	–
Friday	2026-07-24	55.36	95.1	52.48	86.7	46.08	77.4	–	–
Saturday	2026-07-25	55.31	82.7	54.14	76.9	48.46	79.8	–	–
Sunday	2026-07-26	–	–	–	–	46.48	77.1	53.64	81.3
Monday	2026-07-27	57.44	87.8	52.15	80	46.18	72.3	–	–
Tuesday	2026-07-28	58.71	86.2	52.37	75	47.17	79.3	–	–
Wednesday	2026-07-29	60.4	83.6	53.87	81.5	46.25	75.3	–	–
Thursday	2026-07-30	57.03	88	53.43	77.1	47.39	78.2	–	–
Friday	2026-07-31	57.52	84.1	52.03	75.7	46.24	79.8	–	–
Saturday	2026-08-01	55.7	81.4	52.99	77.4	49.74	85.3	–	–
Sunday	2026-08-02	–	–	–	–	46.95	71.8	53.26	82.3

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-07-06 07:00 - 2026-08-03 07:00 (Europe/Oslo)

NB!

- Chart data is aggregated by 1 hour.
- Values are corrected by -6 dBA

Measuring point KK_20
Description Høyenhaldgata 8A-L
Sensor type S50
Sensor serial no. 11966
Master(s) serial no. 3578
Latest calibration 2026-05-04
Aggregate max
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
Aggregated time 1 hour
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-07-06	46.04	76.8	48.3	83.1	46.88	79.2	–	–
Tuesday	2026-07-07	49.54	74.9	45.83	70	41.21	71.5	–	–
Wednesday	2026-07-08	50.98	83.5	46.98	78.5	42.52	77.7	–	–
Thursday	2026-07-09	45.68	80.8	45.09	72	42.27	80	–	–
Friday	2026-07-10	45.89	75.2	46.26	80.9	41.78	75.5	–	–
Saturday	2026-07-11	46.15	77.9	45.43	73.9	41.57	71.2	–	–
Sunday	2026-07-12	–	–	–	–	43.03	75.7	44.95	80.8
Monday	2026-07-13	45.81	74.9	45.95	75.3	41.53	71.8	–	–
Tuesday	2026-07-14	46	81.9	43.98	76.3	40.42	72.2	–	–
Wednesday	2026-07-15	47.19	80.5	45.83	79.8	40.97	73.1	–	–
Thursday	2026-07-16	46.01	76.7	45.91	75.6	39.8	68.4	–	–
Friday	2026-07-17	45.97	76.2	47.2	86.1	42.92	79.2	–	–
Saturday	2026-07-18	48.49	79	48.7	74.6	44.47	73.5	–	–
Sunday	2026-07-19	–	–	–	–	41.2	73.6	46.08	73.7
Monday	2026-07-20	47.25	73.3	45.14	72.2	41.69	73.8	–	–
Tuesday	2026-07-21	45.25	70.9	43.53	66.6	41.65	76.9	–	–
Wednesday	2026-07-22	49.7	81.3	45.71	73.7	40.81	69.3	–	–
Thursday	2026-07-23	45.26	83.2	46.09	80.3	37.88	69.2	–	–
Friday	2026-07-24	48.47	84.4	46.46	75.7	40.43	76.1	–	–
Saturday	2026-07-25	46	82.9	46.08	71.1	42.37	71.1	–	–
Sunday	2026-07-26	–	–	–	–	42.25	67.9	45.28	78.1
Monday	2026-07-27	54.33	81.2	50	71	43.2	77.5	–	–
Tuesday	2026-07-28	52.04	74.9	43.3	69.4	39.68	70.3	–	–
Wednesday	2026-07-29	54.46	81.5	45.77	76.4	40.44	70.9	–	–
Thursday	2026-07-30	49.65	84.3	47.77	83.4	43.51	76.4	–	–
Friday	2026-07-31	58.08	79.8	42.96	71.7	40.88	73.1	–	–
Saturday	2026-08-01	53.22	75.6	46.46	78.3	43.36	67.4	–	–
Sunday	2026-08-02	–	–	–	–	42.74	67.3	46.21	74.2

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-07-06 07:00 - 2026-08-03 07:00 (Europe/Oslo)

NB!

- Chart data is aggregated by 1 hour.
- Values are corrected by -6 dBA

Measuring point KK_21
Description Fjordveien 34
Sensor type S50
Sensor serial no. 14065
Master(s) serial no. 7369
Latest calibration 2025-10-15
Aggregate max
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
Aggregated time 1 hour
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-07-06	46.95	79	45.47	66.5	41	64.6	–	–
Tuesday	2026-07-07	52.27	78.4	46.42	70.3	42.15	68.4	–	–
Wednesday	2026-07-08	46.48	73.4	43.59	64.5	41.09	66.3	–	–
Thursday	2026-07-09	45.57	78.7	43.59	66.9	39.04	60.2	–	–
Friday	2026-07-10	45.9	76.3	44.08	78.7	40.99	72.6	–	–
Saturday	2026-07-11	45.36	77.5	45.28	69.3	42.72	66.1	–	–
Sunday	2026-07-12	–	–	–	–	41.09	68.2	45.33	75.2
Monday	2026-07-13	45.75	71.3	43.41	69.5	40.18	66	–	–
Tuesday	2026-07-14	46.29	75.4	42.59	67	41.47	65.8	–	–
Wednesday	2026-07-15	45.95	79	43.77	66.9	40.85	70.2	–	–
Thursday	2026-07-16	46.02	78.8	44.35	70.1	40.62	68.1	–	–
Friday	2026-07-17	46.01	75.5	43.25	75.4	45.67	76	–	–
Saturday	2026-07-18	50.64	72.6	50.16	66.1	46.52	66.3	–	–
Sunday	2026-07-19	–	–	–	–	42.93	73.6	51.22	80.1
Monday	2026-07-20	48.34	76.1	44.48	68.5	41.86	65.6	–	–
Tuesday	2026-07-21	47.93	73.9	44.38	69.9	43.26	69	–	–
Wednesday	2026-07-22	48.02	80	46.64	73.9	43.86	71.6	–	–
Thursday	2026-07-23	46.75	76.7	45.89	77.7	39.92	65.4	–	–
Friday	2026-07-24	47.53	80.6	44.34	71.5	41.8	67.3	–	–
Saturday	2026-07-25	51.21	68.4	52.12	84.4	46.35	67.7	–	–
Sunday	2026-07-26	–	–	–	–	42.42	67.9	48.11	78.6
Monday	2026-07-27	49.74	82.9	51.49	78.8	42.61	64.2	–	–
Tuesday	2026-07-28	53.66	86.3	45.22	71.8	43.6	67	–	–
Wednesday	2026-07-29	65.84	81.9	45.3	70.7	39.53	65.4	–	–
Thursday	2026-07-30	50.49	87.5	48.63	79.2	45.34	73.4	–	–
Friday	2026-07-31	54.26	78.4	43.52	69	44.87	70.4	–	–
Saturday	2026-08-01	50.91	69.2	49.63	67.1	46.96	66.7	–	–
Sunday	2026-08-02	–	–	–	–	43.25	74.2	48.5	69.7

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-07-06 07:00 - 2026-08-03 07:00 (Europe/Oslo)

NB!

- Chart data is aggregated by 1 hour.
- Values are corrected by -6 dBA

Measuring point KK_22
Description Carl Jenssens vei 18
Sensor type S50
Sensor serial no. 10756
Master(s) serial no. 5636
Latest calibration 2025-10-15
Aggregate max
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
Aggregated time 1 hour
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-07-06	46.61	76.6	48.01	76.5	46.1	80.8	–	–
Tuesday	2026-07-07	49.31	79.8	46.75	74.9	46.71	76.2	–	–
Wednesday	2026-07-08	48.56	77.3	46.94	69.9	45.71	76.8	–	–
Thursday	2026-07-09	46.08	78.9	48.63	81.7	44.81	74.7	–	–
Friday	2026-07-10	55	91.1	52.94	93.8	45.78	73.5	–	–
Saturday	2026-07-11	55	83.7	47.8	80.3	44.49	76.6	–	–
Sunday	2026-07-12	–	–	–	–	46.06	81.8	47.44	87.2
Monday	2026-07-13	45.92	78.6	48.58	77.9	45.28	72.1	–	–
Tuesday	2026-07-14	53.94	85.2	48.62	86.2	46.38	75.4	–	–
Wednesday	2026-07-15	49.04	83.6	44.43	71.1	44	74.2	–	–
Thursday	2026-07-16	45.03	78.3	47.15	80	44.99	72.4	–	–
Friday	2026-07-17	47.97	81.5	45.46	78.7	46.32	74.1	–	–
Saturday	2026-07-18	47.45	73.1	46.11	68.1	45.76	72.2	–	–
Sunday	2026-07-19	–	–	–	–	44.32	74.4	45.61	76.9
Monday	2026-07-20	47.55	82.2	47.16	77.9	44.7	72.6	–	–
Tuesday	2026-07-21	45.78	77.7	46.82	80.7	46.89	78.3	–	–
Wednesday	2026-07-22	46.53	76.8	44.81	74.6	46.21	77.7	–	–
Thursday	2026-07-23	46.22	79.5	50.48	87.1	44.03	74.4	–	–
Friday	2026-07-24	48.78	81.4	43.27	71.2	43.44	72.3	–	–
Saturday	2026-07-25	45.56	78.7	50.46	81.1	43.08	74.5	–	–
Sunday	2026-07-26	–	–	–	–	43.51	71.9	47.48	79.5
Monday	2026-07-27	49.32	76.2	48.27	77.9	45.18	72.4	–	–
Tuesday	2026-07-28	54.66	86.4	45.62	74.3	41.7	67.3	–	–
Wednesday	2026-07-29	50.45	78.7	43.45	67.1	42.74	80.3	–	–
Thursday	2026-07-30	47.59	77.6	46.51	74.6	43.55	71.7	–	–
Friday	2026-07-31	49.5	84.4	40.87	66.9	42.63	66.3	–	–
Saturday	2026-08-01	46.31	76.9	44.09	74.1	40.97	69.6	–	–
Sunday	2026-08-02	–	–	–	–	43.64	70.3	47.03	82.1

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-07-06 07:00 - 2026-08-03 07:00 (Europe/Oslo)

NB!

- Chart data is aggregated by 1 hour.
- Values are corrected by -6 dBA

Measuring point KK_23
Description Dr. Galtungs vei 5
Sensor type S50
Sensor serial no. 15725
Master(s) serial no. 5879
Latest calibration 2025-09-23
Aggregate max
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
Aggregated time 1 hour
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-07-06	50.45	74.2	49.78	76.3	43.91	67.9	–	–
Tuesday	2026-07-07	53.14	82.2	49.2	74.1	45.86	74.5	–	–
Wednesday	2026-07-08	49.89	74.3	47.54	63.9	44.91	75.1	–	–
Thursday	2026-07-09	49.63	86.4	48.84	83.1	42.37	63.9	–	–
Friday	2026-07-10	50.06	80.2	47.43	78.2	43.34	72.8	–	–
Saturday	2026-07-11	48.61	74.3	48.87	81	45.18	68.6	–	–
Sunday	2026-07-12	–	–	–	–	44.18	66.9	48.46	77.4
Monday	2026-07-13	49.07	70.1	48.11	73.5	43.36	68.6	–	–
Tuesday	2026-07-14	50	84.5	46.83	65.4	44.79	69.1	–	–
Wednesday	2026-07-15	49.71	78.2	47.51	71.1	44.01	64.8	–	–
Thursday	2026-07-16	50.55	85.6	49.31	76.5	44.91	74.9	–	–
Friday	2026-07-17	50.23	78.9	47.21	76.1	46.62	75.7	–	–
Saturday	2026-07-18	51.86	72.6	50.89	74.1	48.15	66.7	–	–
Sunday	2026-07-19	–	–	–	–	45.09	73.9	50.3	76.4
Monday	2026-07-20	50.73	77.5	49.3	77.7	45.07	71.9	–	–
Tuesday	2026-07-21	51.78	80.8	47.66	68	45.32	65.4	–	–
Wednesday	2026-07-22	50.74	81.9	49.22	71.5	47.93	79.5	–	–
Thursday	2026-07-23	50.13	82.4	50.51	80	43.83	71.4	–	–
Friday	2026-07-24	50.1	80.2	47.71	70.5	45.61	71.4	–	–
Saturday	2026-07-25	54.56	70.7	56.17	90	48.74	69.2	–	–
Sunday	2026-07-26	–	–	–	–	44.77	67	52.03	80.4
Monday	2026-07-27	53.43	83	53.5	85.8	45.55	69.3	–	–
Tuesday	2026-07-28	54.85	83	49.38	74.3	47.43	71.7	–	–
Wednesday	2026-07-29	64.68	85.1	48.67	73.2	43.2	72.6	–	–
Thursday	2026-07-30	52.24	84.3	51.96	78.9	48.22	72	–	–
Friday	2026-07-31	55.49	78.2	47.63	70	47.93	69.9	–	–
Saturday	2026-08-01	54.77	75.6	53.11	70	49.9	70.7	–	–
Sunday	2026-08-02	–	–	–	–	46.31	71.6	52.26	76.6

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-07-06 07:00 - 2026-08-03 07:00 (Europe/Oslo)

NB!

- Chart data is aggregated by 1 hour.
- Values are corrected by -6 dBA

Measuring point KK_26
Description Løkkegata 2 (Garasje Nord)
Sensor type S50
Sensor serial no. 12688
Master(s) serial no. 7342
Latest calibration 2025-10-15
Aggregate max
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
Aggregated time 1 hour
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-07-06	52.81	82.7	50.79	78.3	47.55	69	-	-
Tuesday	2026-07-07	54.36	73	51.83	71.5	47.76	72.2	-	-
Wednesday	2026-07-08	53.13	83.1	51	69.1	47.53	73.2	-	-
Thursday	2026-07-09	52.04	78.9	50.97	75.8	47.65	73.3	-	-
Friday	2026-07-10	51.66	83.5	50.9	78.4	46.16	75.3	-	-
Saturday	2026-07-11	50.67	74.7	50.65	72	47.05	78.8	-	-
Sunday	2026-07-12	-	-	-	-	47.14	67.7	51.49	85.4
Monday	2026-07-13	52.26	87.7	50.65	68.8	46.98	73.3	-	-
Tuesday	2026-07-14	52.76	77	50.35	70.1	47.23	74.7	-	-
Wednesday	2026-07-15	52.37	83.5	50.65	78.8	46.52	67.6	-	-
Thursday	2026-07-16	51.99	77.2	50.13	73.4	46.51	73.5	-	-
Friday	2026-07-17	51.2	83	49.72	72.1	47.99	78.9	-	-
Saturday	2026-07-18	54.58	79.4	54.72	71.2	50.15	71.6	-	-
Sunday	2026-07-19	-	-	-	-	48.1	79.2	53.66	78.4
Monday	2026-07-20	53.35	74.6	51.29	79.3	47.27	70.6	-	-
Tuesday	2026-07-21	51.56	75.1	50.15	75.1	48.47	82.6	-	-
Wednesday	2026-07-22	53.32	82.9	52.14	74.1	47.82	71.5	-	-
Thursday	2026-07-23	52.5	81.9	51.09	80.2	46.48	68.3	-	-
Friday	2026-07-24	52.1	83.8	51.46	69.5	44.57	66.8	-	-
Saturday	2026-07-25	52.49	79.3	51.93	69.4	46.41	68.5	-	-
Sunday	2026-07-26	-	-	-	-	47.75	77.5	51.53	85.4
Monday	2026-07-27	53.72	74.4	52.94	71.6	47.27	73.3	-	-
Tuesday	2026-07-28	53.88	79.9	50.94	69.5	46.24	72.8	-	-
Wednesday	2026-07-29	54.92	80.6	50.39	67.6	46.05	71.5	-	-
Thursday	2026-07-30	54.9	83.3	53.01	82	47.32	76.2	-	-
Friday	2026-07-31	55.82	90.3	50.04	70.2	45.33	68.8	-	-
Saturday	2026-08-01	53.39	78	51.13	80	46.26	70.4	-	-
Sunday	2026-08-02	-	-	-	-	47.56	69.9	51.14	75.5