

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-03 07:00 - 2026-08-10 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_3
Description Fjordveien 31
Sensor type S50
Sensor serial no. 13834
Master(s) serial no. 5678
Latest calibration 2025-07-16
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-03	53.86	83.4	50.48	78.5	46.9	69.4	–	–
Tuesday	2026-08-04	54.92	79.8	52.57	68.1	49.35	69.1	–	–
Wednesday	2026-08-05	57.47	78.1	51.83	67.6	49.67	72.1	–	–
Thursday	2026-08-06	63.11	93.2	51.57	73.7	47.43	73.3	–	–
Friday	2026-08-07	55.3	85	51.93	78.5	46.76	69.3	–	–
Saturday	2026-08-08	53.23	85.1	50.63	73.2	47.79	70.2	–	–
Sunday	2026-08-09	–	–	–	–	48.48	73.6	51.67	79.8

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-03 07:00 - 2026-08-10 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_5
Description Dr. Galtungs vei 1
Sensor type S50
Sensor serial no. 14507
Master(s) serial no. 5276
Latest calibration 2025-03-04
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-03	67.5	94.6	47.25	67.8	44.75	66	–	–
Tuesday	2026-08-04	67.64	90.4	47.52	61	45.91	66.5	–	–
Wednesday	2026-08-05	68.94	100.8	49.14	73.1	52.41	80.9	–	–
Thursday	2026-08-06	57.81	87.2	49.14	76.6	43.92	66.3	–	–
Friday	2026-08-07	62.94	91.2	49.56	73.8	45.47	72.2	–	–
Saturday	2026-08-08	53.12	86.2	50.37	66.2	49.4	74.3	–	–
Sunday	2026-08-09	–	–	–	–	48.26	72.3	50.04	77.1

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-03 07:00 - 2026-08-10 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_14
Description Carl Jenssens vei 24
Sensor type S50
Sensor serial no. 12888
Master(s) serial no. 5541
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-03	44.64	79.8	37.08	78.8	40.55	66.2	–	–
Tuesday	2026-08-04	45.98	79.4	41.34	70.1	41.42	75	–	–
Wednesday	2026-08-05	48.69	78.6	37.08	71.7	39.61	65.8	–	–
Thursday	2026-08-06	44.42	76.7	42.72	70.3	40.39	62.1	–	–
Friday	2026-08-07	49.39	77.2	42.91	71.9	42.15	70.5	–	–
Saturday	2026-08-08	45.79	78.6	41.56	77.5	36.69	58.2	–	–
Sunday	2026-08-09	–	–	–	–	39.37	62.8	38.05	70.1

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-03 07:00 - 2026-08-10 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_16
Description Løkkegata 2
Sensor type S50
Sensor serial no. 16458
Master(s) serial no. 7370
Latest calibration 2024-11-21
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-03	61.88	85.7	51.55	72.6	47.35	65.4	–	–
Tuesday	2026-08-04	60.79	83.2	53.26	81.2	49.97	67.1	–	–
Wednesday	2026-08-05	59.79	81.1	53.16	78.5	48.62	77.7	–	–
Thursday	2026-08-06	58.95	84.2	49.93	74.8	47.08	68.3	–	–
Friday	2026-08-07	59.62	83.8	51.28	69.4	46	74.8	–	–
Saturday	2026-08-08	57.52	81.1	51.93	76.4	46.83	72.6	–	–
Sunday	2026-08-09	–	–	–	–	48.74	68.6	52.13	77.8

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-03 07:00 - 2026-08-10 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_17
Description Sturlas vei 11
Sensor type S50
Sensor serial no. 11259
Master(s) serial no. 4426
Latest calibration 2025-11-03
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-03	55.35	90.2	45.44	79.2	47.14	75	–	–
Tuesday	2026-08-04	56.66	88.7	46.9	74.8	50.14	79.7	–	–
Wednesday	2026-08-05	56.52	82.3	47.88	79.4	52.6	84.5	–	–
Thursday	2026-08-06	53.65	86.6	50.4	79.5	45.11	76.8	–	–
Friday	2026-08-07	56.46	85.4	49.84	79.6	46.2	76	–	–
Saturday	2026-08-08	52.17	81.4	45.12	77.1	45.45	75.8	–	–
Sunday	2026-08-09	–	–	–	–	48.92	79.7	49.53	82.3

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-03 07:00 - 2026-08-10 07:00 (Europe/Oslo)

NB!
 Values are corrected by -6 dBA

Measuring point KK_19
Description Værlegata 14 Øst
Sensor type S50
Sensor serial no. 16455
Master(s) serial no. 4545
Latest calibration 2024-11-21
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-03	58.35	89.6	52.35	78.3	46.43	79.1	–	–
Tuesday	2026-08-04	57.91	90.9	52.51	73.7	49.46	75.1	–	–
Wednesday	2026-08-05	59.06	85.5	54.8	92.8	50.51	82.5	–	–
Thursday	2026-08-06	57.45	83.5	52.01	75.2	46.55	77.1	–	–
Friday	2026-08-07	57.33	84.3	52.86	79.5	46.51	77.8	–	–
Saturday	2026-08-08	55.14	91.1	52.25	68.8	49.49	81	–	–
Sunday	2026-08-09	–	–	–	–	48.67	71.8	53.82	84.7

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-03 07:00 - 2026-08-10 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_20
Description Høyenhaldgata 8A-L
Sensor type S50
Sensor serial no. 11966
Master(s) serial no. 3578
Latest calibration 2026-05-04
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-03	57.55	79.3	43.07	67.6	38.73	66.3	–	–
Tuesday	2026-08-04	51.78	77.5	44.15	68.1	41.08	75.5	–	–
Wednesday	2026-08-05	52.04	75.2	44.9	68.8	44.1	71.5	–	–
Thursday	2026-08-06	51.86	79.1	45.2	68.5	39.07	65.3	–	–
Friday	2026-08-07	52.46	73.5	46.65	76.3	41.09	70.8	–	–
Saturday	2026-08-08	50.06	81	45.92	73.7	42.54	69.8	–	–
Sunday	2026-08-09	–	–	–	–	43.48	73.5	45.03	79.2

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-03 07:00 - 2026-08-10 07:00 (Europe/Oslo)

NB!
 Values are corrected by -6 dBA

Measuring point KK_21
Description Fjordveien 34
Sensor type S50
Sensor serial no. 14065
Master(s) serial no. 7369
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-03	55.44	85	43.1	74.5	40.38	61.2	–	–
Tuesday	2026-08-04	56.22	78.6	44.68	66.2	43.79	70.3	–	–
Wednesday	2026-08-05	58.46	85.6	45.91	68.1	50.96	71.9	–	–
Thursday	2026-08-06	60.91	87.6	44.15	64.9	40.3	65.9	–	–
Friday	2026-08-07	54.67	80.9	45.58	69.4	42.1	73.2	–	–
Saturday	2026-08-08	51.01	84.9	48.64	61.3	47.54	62.5	–	–
Sunday	2026-08-09	–	–	–	–	47.09	70.2	49.1	69.7

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-03 07:00 - 2026-08-10 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_22
Description Carl Jenssens vei 18
Sensor type S50
Sensor serial no. 10756
Master(s) serial no. 5636
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-03	48.27	79.5	39.77	68.7	41.98	68.3	–	–
Tuesday	2026-08-04	49.24	76.5	42.71	72.3	45.2	71.7	–	–
Wednesday	2026-08-05	53.94	82.9	42.4	71.3	49.13	80.8	–	–
Thursday	2026-08-06	51.45	79.7	44.55	69.6	41.17	68.1	–	–
Friday	2026-08-07	53.63	83.8	43.57	68.6	42.58	71.3	–	–
Saturday	2026-08-08	52.6	85.5	41.47	66.3	41.36	68.1	–	–
Sunday	2026-08-09	–	–	–	–	44.82	73.9	44.81	78.8

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-03 07:00 - 2026-08-10 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_23
Description Dr. Galtungs vei 5
Sensor type S50
Sensor serial no. 15725
Master(s) serial no. 5879
Latest calibration 2025-09-23
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-03	56.72	82	46.48	63.7	43.6	66.1	–	–
Tuesday	2026-08-04	55.74	83.8	46.99	61.9	45.86	65.3	–	–
Wednesday	2026-08-05	55.86	81.9	47.99	67.5	53.99	77.3	–	–
Thursday	2026-08-06	56.64	82.3	47.47	73.5	42.94	67.6	–	–
Friday	2026-08-07	54.72	79.8	48.57	67.8	44.13	71.2	–	–
Saturday	2026-08-08	53.71	84.9	52.21	63	50.4	67.2	–	–
Sunday	2026-08-09	–	–	–	–	50.2	74.1	52.75	75.3

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-03 07:00 - 2026-08-10 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_26
Description Løkkegata 2 (Garasje Nord)
Sensor type S50
Sensor serial no. 12688
Master(s) serial no. 7342
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-03	54.66	75.4	50.51	68.9	47.23	68.1	–	–
Tuesday	2026-08-04	65.75	90.7	53.09	77.6	49.97	67.8	–	–
Wednesday	2026-08-05	71.21	101.8	52.13	75.5	48.53	80.8	–	–
Thursday	2026-08-06	56.97	84.9	51.23	78.9	46.77	65.5	–	–
Friday	2026-08-07	53.71	83.2	50.88	69	45.86	81.3	–	–
Saturday	2026-08-08	54.15	83	56.56	77.6	47.4	73.3	–	–
Sunday	2026-08-09	–	–	–	–	48.53	73.9	51.1	85.7