

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-10 07:00 - 2026-08-17 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_3
Description Fjordveien 31
Sensor type S50
Sensor serial no. 13834
Master(s) serial no. 5678
Latest calibration 2025-07-16
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-10	55.09	80.3	53.02	78.8	48.83	73	–	–
Tuesday	2026-08-11	55.46	81.7	50.81	68.4	48.07	72.9	–	–
Wednesday	2026-08-12	55.15	85.2	51.07	80.8	47.45	71.7	–	–
Thursday	2026-08-13	54.56	80.5	51.25	76	47.03	76	–	–
Friday	2026-08-14	54.29	84.2	51.37	79.9	46.71	71.2	–	–
Saturday	2026-08-15	54.14	85.4	61.12	101.6	48.09	72.6	–	–
Sunday	2026-08-16	–	–	–	–	47.99	70.6	51.4	80.9

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-10 07:00 - 2026-08-17 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_5
Description Dr. Galtungs vei 1
Sensor type S50
Sensor serial no. 14507
Master(s) serial no. 5276
Latest calibration 2025-03-04
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-10	70.62	95.8	50.73	73.3	48.08	69.9	–	–
Tuesday	2026-08-11	58.2	93.8	46.91	64.4	44.82	67.1	–	–
Wednesday	2026-08-12	61.58	89.2	48.31	81.2	46.7	75.3	–	–
Thursday	2026-08-13	64.58	88.1	48.49	75.2	45.66	77.5	–	–
Friday	2026-08-14	73.42	91.9	49.73	80.2	44.81	76.9	–	–
Saturday	2026-08-15	54.53	82.9	60.99	102.6	45.14	73.6	–	–
Sunday	2026-08-16	–	–	–	–	44.02	76.4	49.93	85.6

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-10 07:00 - 2026-08-17 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_14
Description Carl Jenssens vei 24
Sensor type S50
Sensor serial no. 12888
Master(s) serial no. 5541
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-10	49.8	79.7	49.78	73.7	44.59	71.1	–	–
Tuesday	2026-08-11	47.82	76.7	40.6	62.4	41.69	60.7	–	–
Wednesday	2026-08-12	49.75	88.2	40.56	78.5	39.71	70.8	–	–
Thursday	2026-08-13	46.07	86.4	38.21	60.7	39.29	73.2	–	–
Friday	2026-08-14	44.48	82.7	39.7	75.4	37.91	56.8	–	–
Saturday	2026-08-15	41.53	81.6	55.64	97	40.65	55.8	–	–
Sunday	2026-08-16	–	–	–	–	39.29	61.7	42.05	84.1

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-10 07:00 - 2026-08-17 07:00 (Europe/Oslo)

NB!

Values are corrected by -6 dBA

Measuring point KK_16
Description Løkkegata 2
Sensor type S50
Sensor serial no. 16458
Master(s) serial no. 7370
Latest calibration 2024-11-21
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-10	60.87	91.3	52.62	76.5	48.02	73.1	–	–
Tuesday	2026-08-11	58.86	82.8	51.8	81.8	48.16	72.6	–	–
Wednesday	2026-08-12	57.91	82.8	52.14	84.8	47.29	64.2	–	–
Thursday	2026-08-13	61	86.7	51.31	69.7	47.59	73.6	–	–
Friday	2026-08-14	60.86	81.6	50.77	77.5	45.35	71.4	–	–
Saturday	2026-08-15	55.54	81.2	60.1	102.7	45.35	66.4	–	–
Sunday	2026-08-16	–	–	–	–	47.23	65.7	51.21	79.8

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-10 07:00 - 2026-08-17 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_17
Description Sturlas vei 11
Sensor type S50
Sensor serial no. 11259
Master(s) serial no. 4426
Latest calibration 2025-11-03
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-10	58.81	91.7	50.28	74	49.89	79.6	–	–
Tuesday	2026-08-11	55.47	88.5	51.41	77.2	47.73	74.5	–	–
Wednesday	2026-08-12	62.21	88.4	48.81	84.1	50.73	75.9	–	–
Thursday	2026-08-13	55.13	81.3	49.96	78.5	49.13	77.6	–	–
Friday	2026-08-14	52.46	81.7	52.25	82.8	48.25	77.5	–	–
Saturday	2026-08-15	50.55	87.1	58.78	99.1	44.65	76.8	–	–
Sunday	2026-08-16	–	–	–	–	47.5	84.7	50.44	86.8

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-10 07:00 - 2026-08-17 07:00 (Europe/Oslo)

NB!
 Values are corrected by -6 dBA

Measuring point KK_19
Description Værlegata 14 Øst
Sensor type S50
Sensor serial no. 16455
Master(s) serial no. 4545
Latest calibration 2024-11-21
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-10	58.2	88.1	53.45	75.6	50.93	76.5	–	–
Tuesday	2026-08-11	57.27	90.6	52.97	84.5	48.04	86	–	–
Wednesday	2026-08-12	58.42	82.2	53.46	83	48.12	78.6	–	–
Thursday	2026-08-13	58.08	86	53.24	77.4	47.81	76.1	–	–
Friday	2026-08-14	59.63	88.8	52.36	79	47.93	79.7	–	–
Saturday	2026-08-15	54.54	79.2	55.87	92.8	47.7	79.2	–	–
Sunday	2026-08-16	–	–	–	–	47.62	84.4	52.61	79.9

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-10 07:00 - 2026-08-17 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_20
Description Høyenhaldgata 8A-L
Sensor type S50
Sensor serial no. 11966
Master(s) serial no. 3578
Latest calibration 2026-05-04
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-10	52.68	74.1	50.39	71	43.3	68.3	–	–
Tuesday	2026-08-11	52.64	79.1	44.68	66.6	39.85	67.8	–	–
Wednesday	2026-08-12	55.48	85	46.64	82.3	38.66	69.2	–	–
Thursday	2026-08-13	55.24	79.8	44.49	65.2	42.84	76.4	–	–
Friday	2026-08-14	56.81	81.8	42.69	75.5	37.17	64.1	–	–
Saturday	2026-08-15	45.81	77.2	62.4	104.2	42.13	66.2	–	–
Sunday	2026-08-16	–	–	–	–	39.69	66.3	44.85	80.8

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-10 07:00 - 2026-08-17 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_21
Description Fjordveien 34
Sensor type S50
Sensor serial no. 14065
Master(s) serial no. 7369
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-10	56.93	83	49.54	65.6	45.02	66.8	–	–
Tuesday	2026-08-11	53.76	83.5	43.48	63.5	41.91	63.6	–	–
Wednesday	2026-08-12	55.47	81.5	43.45	75	40.18	66.8	–	–
Thursday	2026-08-13	57.57	82.9	43.27	66.5	42.09	76.9	–	–
Friday	2026-08-14	60.54	86.4	43.75	80.3	40.39	66.6	–	–
Saturday	2026-08-15	46.79	75.7	60.83	103.2	42.75	69.5	–	–
Sunday	2026-08-16	–	–	–	–	41.43	68.5	45.44	79.8

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-10 07:00 - 2026-08-17 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_22
Description Carl Jenssens vei 18
Sensor type S50
Sensor serial no. 10756
Master(s) serial no. 5636
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-10	54.18	79.7	48.67	76.4	44.79	71.6	–	–
Tuesday	2026-08-11	51.24	77.5	44.83	70.6	42.53	66	–	–
Wednesday	2026-08-12	53.41	79.3	42.49	79.2	43.28	72.5	–	–
Thursday	2026-08-13	50.31	75.6	43.27	72.6	42.43	70.3	–	–
Friday	2026-08-14	50	78.3	45.87	77.6	39.77	63.7	–	–
Saturday	2026-08-15	43.21	78.8	53.84	91.7	41.02	63.3	–	–
Sunday	2026-08-16	–	–	–	–	40.53	73	42.72	74.1

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-10 07:00 - 2026-08-17 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_23
Description Dr. Galtungs vei 5
Sensor type S50
Sensor serial no. 15725
Master(s) serial no. 5879
Latest calibration 2025-09-23
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-10	57.37	85.8	50.96	69.1	47.05	72.7	–	–
Tuesday	2026-08-11	53.62	86.1	46.9	64.3	44.93	64.8	–	–
Wednesday	2026-08-12	54.14	79.5	46.76	74.5	44.98	74.9	–	–
Thursday	2026-08-13	56.88	84.8	46.92	74.5	44.18	81.5	–	–
Friday	2026-08-14	60.63	81.8	48	73.1	43.74	70.8	–	–
Saturday	2026-08-15	48.89	76	59.72	100.5	44.79	71	–	–
Sunday	2026-08-16	–	–	–	–	44.38	77.9	49.13	82.2

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-10 07:00 - 2026-08-17 07:00 (Europe/Oslo)

NB!
Values are corrected by -3 dBA

Measuring point KK_27
Description Skolegata 1
Sensor type S50
Sensor serial no. 12688
Master(s) serial no. 7342
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -3 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Wednesday	2026-08-12	59.19	87.5	58.98	92.6	53	69.6	–	–
Thursday	2026-08-13	61.59	92.9	58.15	82.2	53.04	78.1	–	–
Friday	2026-08-14	61.08	89.1	56.63	82.9	51.68	74.2	–	–
Saturday	2026-08-15	58.65	89.6	64.5	107.3	52.01	74.4	–	–
Sunday	2026-08-16	–	–	–	–	53.05	70.1	57.93	91.1