

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-17 07:00 - 2026-08-24 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_3
Description Fjordveien 31
Sensor type S50
Sensor serial no. 13834
Master(s) serial no. 5678
Latest calibration 2025-07-16
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-17	65.95	92	52.65	80.1	47.8	68.3	–	–
Tuesday	2026-08-18	64.23	89.4	51.32	81.8	47.26	80.7	–	–
Wednesday	2026-08-19	67.1	89.2	52.39	80	47.81	70.8	–	–
Thursday	2026-08-20	62.82	85.5	51.36	77.6	47.75	78.3	–	–
Friday	2026-08-21	54.81	80.2	51.03	71.8	47.24	81.7	–	–
Saturday	2026-08-22	55.27	88.8	53.37	73.8	48.37	69	–	–
Sunday	2026-08-23	–	–	–	–	47.53	71.3	53.41	86.5

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-17 07:00 - 2026-08-24 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_5
Description Dr. Galtungs vei 1
Sensor type S50
Sensor serial no. 14507
Master(s) serial no. 5276
Latest calibration 2025-03-04
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-17	72.67	96.6	48.97	76.4	45.45	67	–	–
Tuesday	2026-08-18	72.99	95.7	48.48	72	45.42	73	–	–
Wednesday	2026-08-19	77.91	97.9	48.9	71.2	47.5	76.1	–	–
Thursday	2026-08-20	72.39	94.6	49.78	78.9	48.13	69.8	–	–
Friday	2026-08-21	56.7	84	48.72	79	47.27	68.5	–	–
Saturday	2026-08-22	53.05	83.9	50.22	77.8	45.61	66.1	–	–
Sunday	2026-08-23	–	–	–	–	44.17	62.8	49.81	81.9

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-17 07:00 - 2026-08-24 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_14
Description Carl Jenssens vei 24
Sensor type S50
Sensor serial no. 12888
Master(s) serial no. 5541
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-17	53.55	78	42.76	73.9	43.2	61.9	–	–
Tuesday	2026-08-18	54.4	82.9	42.29	73.6	37.15	60.4	–	–
Wednesday	2026-08-19	53.32	80.6	39.86	55.5	39.62	59.4	–	–
Thursday	2026-08-20	49.08	81.7	39.75	70.1	35.66	66.9	–	–
Friday	2026-08-21	46.49	80.4	36.69	75.9	39.21	58.6	–	–
Saturday	2026-08-22	44.75	80.2	43.03	60.2	41.05	59.9	–	–
Sunday	2026-08-23	–	–	–	–	41.9	62.6	44.19	84

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-17 07:00 - 2026-08-24 07:00 (Europe/Oslo)

NB!
 Values are corrected by -6 dBA

Measuring point KK_16
Description Løkkegata 2
Sensor type S50
Sensor serial no. 16458
Master(s) serial no. 7370
Latest calibration 2024-11-21
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-17	72.49	95.6	51.55	77.9	47.68	65.9	–	–
Tuesday	2026-08-18	75.14	96.6	51.7	76	48.22	83.4	–	–
Wednesday	2026-08-19	76.92	96.9	51.15	75.4	47.33	75.5	–	–
Thursday	2026-08-20	71.96	96	50.98	72.9	47.13	74.2	–	–
Friday	2026-08-21	59	83.6	50.52	71.8	44.27	72.7	–	–
Saturday	2026-08-22	57.59	80.9	51.5	72.9	45.34	68	–	–
Sunday	2026-08-23	–	–	–	–	47.05	65.9	51.54	78.7

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-17 07:00 - 2026-08-24 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_17
Description Sturlas vei 11
Sensor type S50
Sensor serial no. 11259
Master(s) serial no. 4426
Latest calibration 2025-11-03
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-17	60.35	88.7	49.64	82.3	49.05	76.9	–	–
Tuesday	2026-08-18	63.25	91	50.26	83	49.13	82.3	–	–
Wednesday	2026-08-19	63.18	89	48.55	77.6	50.14	81.2	–	–
Thursday	2026-08-20	61.44	87.1	52.94	84.2	46.01	77	–	–
Friday	2026-08-21	58.13	88.1	51.09	79.8	44.3	75.9	–	–
Saturday	2026-08-22	52.15	87.5	51.69	83.3	44.91	77.6	–	–
Sunday	2026-08-23	–	–	–	–	46.57	76.4	51.85	85.1

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-17 07:00 - 2026-08-24 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_19
Description Værlegata 14 Øst
Sensor type S50
Sensor serial no. 16455
Master(s) serial no. 4545
Latest calibration 2024-11-21
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-17	85.84	106.5	52.2	79.5	46.92	73	–	–
Tuesday	2026-08-18	89.08	106.2	53.38	80.7	47.5	76.6	–	–
Wednesday	2026-08-19	92.53	109.9	52.68	83	47.5	74.3	–	–
Thursday	2026-08-20	88.61	109.3	53.33	84.5	47.66	78.3	–	–
Friday	2026-08-21	57.4	82.1	52.26	77.1	46.08	77.7	–	–
Saturday	2026-08-22	53.78	86.2	51.67	81.4	45.84	70.8	–	–
Sunday	2026-08-23	–	–	–	–	46.53	79.5	53.54	91.8

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-17 07:00 - 2026-08-24 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_20
Description Høyenhaldgata 8A-L
Sensor type S50
Sensor serial no. 11966
Master(s) serial no. 3578
Latest calibration 2026-05-04
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-17	75.4	99.5	45.37	69.6	40.56	66.1	–	–
Tuesday	2026-08-18	78.09	99.4	44.92	68.6	38.51	68.1	–	–
Wednesday	2026-08-19	79.53	100.9	45.05	71.2	38.73	67.8	–	–
Thursday	2026-08-20	75.19	100	45.44	70.5	40.28	69.7	–	–
Friday	2026-08-21	56.1	88.4	43	67	36.34	63.9	–	–
Saturday	2026-08-22	50.37	80.9	46.22	66.1	38.77	64.5	–	–
Sunday	2026-08-23	–	–	–	–	39.82	69.7	44.9	75.3

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-17 07:00 - 2026-08-24 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_21
Description Fjordveien 34
Sensor type S50
Sensor serial no. 14065
Master(s) serial no. 7369
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-17	74.24	99.8	45.03	73.4	41.82	63	–	–
Tuesday	2026-08-18	73.69	98	43.35	70.4	40.09	73.7	–	–
Wednesday	2026-08-19	77.02	97.6	44.37	63.6	41.65	68.2	–	–
Thursday	2026-08-20	73.03	95.8	44.54	68	42.54	62.8	–	–
Friday	2026-08-21	60.72	87.4	42.71	68.1	41.66	63.8	–	–
Saturday	2026-08-22	51.08	75.8	47.3	76.4	42	60.4	–	–
Sunday	2026-08-23	–	–	–	–	41	60.1	45.99	74.6

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-17 07:00 - 2026-08-24 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_22
Description Carl Jenssens vei 18
Sensor type S50
Sensor serial no. 10756
Master(s) serial no. 5636
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-17	53.13	76.6	43.83	72.4	43.47	66.6	–	–
Tuesday	2026-08-18	55.29	84.9	45.07	75.2	41.21	71.4	–	–
Wednesday	2026-08-19	55	80.9	42.14	68.9	43.49	73.6	–	–
Thursday	2026-08-20	54.93	78.8	47.52	82.1	41.4	71.8	–	–
Friday	2026-08-21	51.46	78.1	46.64	79.7	40.7	67.5	–	–
Saturday	2026-08-22	46.18	78.1	44.69	72.4	41.69	66.7	–	–
Sunday	2026-08-23	–	–	–	–	42.22	66	44.96	73.5

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-17 07:00 - 2026-08-24 07:00 (Europe/Oslo)

NB!
 Values are corrected by -6 dBA

Measuring point KK_23
Description Dr. Galtungs vei 5
Sensor type S50
Sensor serial no. 15725
Master(s) serial no. 5879
Latest calibration 2025-09-23
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-17	67.88	92.6	47.81	72.8	44.26	66.6	–	–
Tuesday	2026-08-18	67.19	87.8	47.3	77	43.92	70	–	–
Wednesday	2026-08-19	72.22	93.4	47.79	65.9	46.07	74	–	–
Thursday	2026-08-20	65.47	88.3	48.51	73.4	46.79	66.9	–	–
Friday	2026-08-21	55.72	81.3	46.72	74.6	45.98	67.3	–	–
Saturday	2026-08-22	52.28	82.1	49.84	83.1	45.34	63.9	–	–
Sunday	2026-08-23	–	–	–	–	43.51	64.9	49.18	79.2

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-17 07:00 - 2026-08-24 07:00 (Europe/Oslo)

NB!
Values are corrected by -3 dBA

Measuring point KK_27
Description Skolegata 1
Sensor type S50
Sensor serial no. 12688
Master(s) serial no. 7342
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -3 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-17	70.35	98.2	57.38	88	53.48	70.2	–	–
Tuesday	2026-08-18	74.55	101.1	57.32	81.2	53.41	85.1	–	–
Wednesday	2026-08-19	76.3	100.5	57	80.4	53.18	82.1	–	–
Thursday	2026-08-20	72.88	97.7	57.17	75	52.94	73.6	–	–
Friday	2026-08-21	60.41	91.5	56.4	77.3	50.73	79.1	–	–
Saturday	2026-08-22	60.31	87.6	58.04	90.9	51.75	74	–	–
Sunday	2026-08-23	–	–	–	–	53.08	69.3	57.85	90.7