

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-24 07:00 - 2026-08-31 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_3
Description Fjordveien 31
Sensor type S50
Sensor serial no. 13834
Master(s) serial no. 5678
Latest calibration 2025-07-16
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-24	67.59	93.1	51.75	70.8	47.96	73.7	–	–
Tuesday	2026-08-25	61.84	87	52.25	74.2	47.83	71.5	–	–
Wednesday	2026-08-26	63.64	86.4	52.07	80.5	50.22	81.2	–	–
Thursday	2026-08-27	54.46	76	53.56	79.9	47.81	69.1	–	–
Friday	2026-08-28	55.77	79.8	53.32	67.5	47.37	69.6	–	–
Saturday	2026-08-29	53.27	78.3	50.4	72	47.42	81.7	–	–
Sunday	2026-08-30	–	–	–	–	44.7	69.3	51.48	78.5

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-24 07:00 - 2026-08-31 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_5
Description Dr. Galtungs vei 1
Sensor type S50
Sensor serial no. 14507
Master(s) serial no. 5276
Latest calibration 2025-03-04
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-24	77.15	99.7	48.48	72.7	46.01	77.3	–	–
Tuesday	2026-08-25	73.61	95.1	48.13	69.2	44.98	72	–	–
Wednesday	2026-08-26	72.72	98.7	48.17	70.1	49.98	81.9	–	–
Thursday	2026-08-27	63.69	94.7	52.31	84.3	47.46	73	–	–
Friday	2026-08-28	51.12	80.5	49.15	72.7	43.99	67.8	–	–
Saturday	2026-08-29	50.46	78.8	47.27	69.4	44.88	71.8	–	–
Sunday	2026-08-30	–	–	–	–	44.97	64.5	48.12	80.2

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-24 07:00 - 2026-08-31 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_14
Description Carl Jenssens vei 24
Sensor type S50
Sensor serial no. 12888
Master(s) serial no. 5541
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-24	57.03	83.7	40.27	61.5	43.46	66.8	–	–
Tuesday	2026-08-25	50.76	83.3	45.41	74.8	44.23	73.7	–	–
Wednesday	2026-08-26	53.45	81.2	40.54	64.3	42.58	63.5	–	–
Thursday	2026-08-27	46.52	78.8	44.15	67.7	41.84	69.9	–	–
Friday	2026-08-28	44.52	72.4	42.7	58.3	40.53	61.4	–	–
Saturday	2026-08-29	39.15	79.3	36.53	69.5	35.82	65.7	–	–
Sunday	2026-08-30	–	–	–	–	36.45	61.4	38.61	76.8

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-24 07:00 - 2026-08-31 07:00 (Europe/Oslo)

NB!
 Values are corrected by -6 dBA

Measuring point KK_16
Description Løkkegata 2
Sensor type S50
Sensor serial no. 16458
Master(s) serial no. 7370
Latest calibration 2024-11-21
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-24	74.11	94.9	51.17	70.6	47.78	70.8	–	–
Tuesday	2026-08-25	73.91	96.1	51.75	75.9	47.76	67.7	–	–
Wednesday	2026-08-26	72.18	93	50.92	67.4	47.35	79.7	–	–
Thursday	2026-08-27	58.75	81.1	51.36	77.1	46.56	72.1	–	–
Friday	2026-08-28	54.21	71.3	53.06	69.7	45.63	63.9	–	–
Saturday	2026-08-29	57.22	79.8	50.93	67.3	46.69	69.8	–	–
Sunday	2026-08-30	–	–	–	–	45.28	63.3	52.16	87.2

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-24 07:00 - 2026-08-31 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_17
Description Sturlas vei 11
Sensor type S50
Sensor serial no. 11259
Master(s) serial no. 4426
Latest calibration 2025-11-03
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-24	67.05	95.4	47.69	80.4	49.48	82.6	–	–
Tuesday	2026-08-25	64.49	90.9	49.4	77.2	48.76	74.6	–	–
Wednesday	2026-08-26	58.81	86.3	47.08	77.3	49.98	80.3	–	–
Thursday	2026-08-27	57.07	81.4	54.59	84.1	48.01	81.9	–	–
Friday	2026-08-28	53.33	80.6	48.51	76	46.66	75.8	–	–
Saturday	2026-08-29	46.57	74.8	38.62	65.6	39.02	69.3	–	–
Sunday	2026-08-30	–	–	–	–	47.73	77	44.65	84

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-24 07:00 - 2026-08-31 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_19
Description Værlegata 14 Øst
Sensor type S50
Sensor serial no. 16455
Master(s) serial no. 4545
Latest calibration 2024-11-21
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-24	92.19	108.9	52.68	84.5	46.71	71.9	–	–
Tuesday	2026-08-25	88.35	106.9	55.12	82.1	48.17	84.5	–	–
Wednesday	2026-08-26	87.4	106.5	52.95	78.7	49.97	79.6	–	–
Thursday	2026-08-27	59.52	83.7	52.76	78.3	46.57	78.4	–	–
Friday	2026-08-28	56.58	87.8	54.48	68.8	48.06	73.9	–	–
Saturday	2026-08-29	55.23	85.1	52.03	76.4	47.78	75.8	–	–
Sunday	2026-08-30	–	–	–	–	46.56	84.2	53.62	88.2

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-24 07:00 - 2026-08-31 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_20
Description Høyenhaldgata 8A-L
Sensor type S50
Sensor serial no. 11966
Master(s) serial no. 3578
Latest calibration 2026-05-04
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-24	75.18	99.2	46	76.8	40.52	65.5	–	–
Tuesday	2026-08-25	72.19	92.9	46.16	72.1	41.82	70.3	–	–
Wednesday	2026-08-26	70.01	90.3	43.79	65.1	40.17	71.3	–	–
Thursday	2026-08-27	55.14	81.1	45.41	71.1	37.2	64.5	–	–
Friday	2026-08-28	53.79	84.9	45.32	68	37.86	66.9	–	–
Saturday	2026-08-29	46.26	68.8	43.09	70.9	39.56	66.8	–	–
Sunday	2026-08-30	–	–	–	–	37.29	73.1	43.86	78

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-24 07:00 - 2026-08-31 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_21
Description Fjordveien 34
Sensor type S50
Sensor serial no. 14065
Master(s) serial no. 7369
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-24	74.46	95.4	43.91	64.5	41.85	67.6	–	–
Tuesday	2026-08-25	72.48	94.7	44.97	67.6	42.36	70.9	–	–
Wednesday	2026-08-26	70.77	91.2	43.8	68.4	45.48	76.8	–	–
Thursday	2026-08-27	56.79	83	46.66	74.7	41.86	63.6	–	–
Friday	2026-08-28	48.95	78.6	47.07	62.9	42.61	66.4	–	–
Saturday	2026-08-29	45.94	68	45.11	69.8	43.68	66.6	–	–
Sunday	2026-08-30	–	–	–	–	37.52	60.8	44.25	74.5

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-24 07:00 - 2026-08-31 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_22
Description Carl Jenssens vei 18
Sensor type S50
Sensor serial no. 10756
Master(s) serial no. 5636
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-24	58.57	87.9	41.8	70.1	43.19	70.2	–	–
Tuesday	2026-08-25	56.16	87.4	44.89	73.2	43.35	70.2	–	–
Wednesday	2026-08-26	53.62	79.2	41.37	63.5	45.03	74.1	–	–
Thursday	2026-08-27	51.38	80.5	49.54	79.7	42.58	82.9	–	–
Friday	2026-08-28	46.55	74	45.51	64.1	42.32	62.7	–	–
Saturday	2026-08-29	42.53	72.1	37.63	63.8	38.37	76.8	–	–
Sunday	2026-08-30	–	–	–	–	40.05	66.8	40.08	73.7

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-24 07:00 - 2026-08-31 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_23
Description Dr. Galtungs vei 5
Sensor type S50
Sensor serial no. 15725
Master(s) serial no. 5879
Latest calibration 2025-09-23
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-24	71.63	95	47.76	65.9	45.16	75.3	–	–
Tuesday	2026-08-25	67.97	91.4	48.09	64.6	44.38	69.1	–	–
Wednesday	2026-08-26	67.81	93.4	47.56	64.3	50.83	82.2	–	–
Thursday	2026-08-27	56.15	86.2	52.89	86.1	46.29	69.8	–	–
Friday	2026-08-28	51.42	75.5	50.08	66	45.37	67.7	–	–
Saturday	2026-08-29	48.87	70.6	48.44	66.3	47.13	78.2	–	–
Sunday	2026-08-30	–	–	–	–	41.8	66.2	47.68	76.1

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-24 07:00 - 2026-08-31 07:00 (Europe/Oslo)

NB!
Values are corrected by -3 dBA

Measuring point KK_27
Description Skolegata 1
Sensor type S50
Sensor serial no. 12688
Master(s) serial no. 7342
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -3 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-24	72.51	95.3	58.4	91.4	53.4	71.9	–	–
Tuesday	2026-08-25	74.34	97.3	58.85	90.4	53.39	74.1	–	–
Wednesday	2026-08-26	72.21	96.1	57.53	91.3	53.38	83	–	–
Thursday	2026-08-27	60.58	91.6	57.38	88.1	52.62	76.2	–	–
Friday	2026-08-28	59.24	90.5	58.96	77.5	52.29	74.1	–	–
Saturday	2026-08-29	59.86	90.8	56.68	70.9	52.59	77.9	–	–
Sunday	2026-08-30	–	–	–	–	51.09	69.2	57.99	91.3