

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-31 07:00 - 2026-09-07 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_3
Description Fjordveien 31
Sensor type S50
Sensor serial no. 13834
Master(s) serial no. 5678
Latest calibration 2025-07-16
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-31	61.29	86	51.29	75	47.23	66.1	–	–
Tuesday	2026-09-01	68.78	93.6	51.06	78.9	48.36	80.8	–	–
Wednesday	2026-09-02	65.3	93.3	51.6	75.5	47.53	70.2	–	–
Thursday	2026-09-03	59.67	88	51.64	81.2	48.03	86.3	–	–
Friday	2026-09-04	55.96	80.6	53.74	79.5	46.71	77.1	–	–
Saturday	2026-09-05	54.66	83.2	52.91	74	48.42	72.9	–	–
Sunday	2026-09-06	–	–	–	–	48.73	72.5	52.48	87.1

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-31 07:00 - 2026-09-07 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_5
Description Dr. Galtungs vei 1
Sensor type S50
Sensor serial no. 14507
Master(s) serial no. 5276
Latest calibration 2025-03-04
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-31	74.66	96.4	46.79	64.2	43.7	70	–	–
Tuesday	2026-09-01	79.73	98.3	47.15	71.9	49.37	76.2	–	–
Wednesday	2026-09-02	81.04	105	49.79	72.4	47.45	76.6	–	–
Thursday	2026-09-03	70.49	96.5	49.4	77.6	43.72	68	–	–
Friday	2026-09-04	60.65	90	51.97	80.6	43.23	74.9	–	–
Saturday	2026-09-05	52.81	82.1	53.34	82.7	47.05	68.4	–	–
Sunday	2026-09-06	–	–	–	–	47.12	68.4	50.62	85.9

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-31 07:00 - 2026-09-07 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_14
Description Carl Jenssens vei 24
Sensor type S50
Sensor serial no. 12888
Master(s) serial no. 5541
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-31	48.44	74.2	38.7	65	40.11	75.2	–	–
Tuesday	2026-09-01	53.87	79.3	37.26	65.5	37.92	63.9	–	–
Wednesday	2026-09-02	48.7	81.6	40.31	60.7	39.84	67.5	–	–
Thursday	2026-09-03	46.03	76.9	38	62.3	37.44	62.7	–	–
Friday	2026-09-04	43.91	77.6	42.56	60.7	42.77	64.2	–	–
Saturday	2026-09-05	44.31	81.9	42.86	71.2	42.21	68	–	–
Sunday	2026-09-06	–	–	–	–	40.93	66.7	44.72	88.4

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-31 07:00 - 2026-09-07 07:00 (Europe/Oslo)

NB!
 Values are corrected by -6 dBA

Measuring point KK_16
Description Løkkegata 2
Sensor type S50
Sensor serial no. 16458
Master(s) serial no. 7370
Latest calibration 2024-11-21
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-31	73.69	97.4	51.65	76.2	47.71	66.3	–	–
Tuesday	2026-09-01	76.94	96.2	51.2	72.1	47.96	69.9	–	–
Wednesday	2026-09-02	76.09	97.8	51.31	68.9	47.48	65	–	–
Thursday	2026-09-03	70.73	97	51.18	69.4	48.67	80.7	–	–
Friday	2026-09-04	57.41	85.8	50.47	73.9	44.88	75.4	–	–
Saturday	2026-09-05	55.13	79.6	51.21	73	45.45	80.2	–	–
Sunday	2026-09-06	–	–	–	–	50.03	69.1	51.66	81

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-31 07:00 - 2026-09-07 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_17
Description Sturlas vei 11
Sensor type S50
Sensor serial no. 11259
Master(s) serial no. 4426
Latest calibration 2025-11-03
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-31	61.43	89.7	46.56	79	48.17	77.8	–	–
Tuesday	2026-09-01	63.87	89.7	46.6	77.7	48.83	78.5	–	–
Wednesday	2026-09-02	59.75	88.8	47.98	77.7	53.74	86.2	–	–
Thursday	2026-09-03	57.18	84.1	52.76	82.5	43.55	75.9	–	–
Friday	2026-09-04	59.85	86.5	54.41	84	44.19	73.5	–	–
Saturday	2026-09-05	53.85	84.5	54.87	83.5	45.39	77.2	–	–
Sunday	2026-09-06	–	–	–	–	45.93	77.9	51.46	83.1

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-31 07:00 - 2026-09-07 07:00 (Europe/Oslo)

NB!
 Values are corrected by -6 dBA

Measuring point KK_19
Description Værlegata 14 Øst
Sensor type S50
Sensor serial no. 16455
Master(s) serial no. 4545
Latest calibration 2024-11-21
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-31	88.98	109.3	53.04	84	47.01	75.2	–	–
Tuesday	2026-09-01	93.28	109.1	52.63	86.2	47.77	73.2	–	–
Wednesday	2026-09-02	92.89	109.7	51.98	78.1	47.04	72.5	–	–
Thursday	2026-09-03	83.83	108.5	51.79	78.8	47.88	81.4	–	–
Friday	2026-09-04	58.79	90	51.5	77.2	45.48	75.8	–	–
Saturday	2026-09-05	54.33	83	51.81	74.5	45.12	69	–	–
Sunday	2026-09-06	–	–	–	–	50.37	76	52.59	82.2

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-31 07:00 - 2026-09-07 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_20
Description Høyenhaldgata 8A-L
Sensor type S50
Sensor serial no. 11966
Master(s) serial no. 3578
Latest calibration 2026-05-04
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-31	72.45	97.2	45.9	79.8	38.85	67.5	–	–
Tuesday	2026-09-01	75.76	96.7	43.64	70.7	41.54	65.6	–	–
Wednesday	2026-09-02	77.5	100.2	47.94	67.5	42.7	67.2	–	–
Thursday	2026-09-03	71.16	97.9	43.93	70.2	38.12	67.1	–	–
Friday	2026-09-04	55.83	81.1	42.83	68.7	36.86	64.7	–	–
Saturday	2026-09-05	46.42	77.1	45.97	80.3	40	66.2	–	–
Sunday	2026-09-06	–	–	–	–	44.44	68.9	45.22	73.6

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-31 07:00 - 2026-09-07 07:00 (Europe/Oslo)

NB!
 Values are corrected by -6 dBA

Measuring point KK_21
Description Fjordveien 34
Sensor type S50
Sensor serial no. 14065
Master(s) serial no. 7369
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-31	70.19	95.1	42.82	68.2	39.96	60.9	–	–
Tuesday	2026-09-01	75.31	97.2	42.41	66.9	45.01	66.5	–	–
Wednesday	2026-09-02	74.65	99.7	46.77	66.4	43.69	73.3	–	–
Thursday	2026-09-03	69.9	98.4	43.48	69.3	39.5	64.9	–	–
Friday	2026-09-04	55.6	77.9	46.01	72.2	39.56	65.6	–	–
Saturday	2026-09-05	47.58	77.2	47.49	75	42.91	63.1	–	–
Sunday	2026-09-06	–	–	–	–	45.86	58.6	45.72	75.5

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-31 07:00 - 2026-09-07 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_22
Description Carl Jenssens vei 18
Sensor type S50
Sensor serial no. 10756
Master(s) serial no. 5636
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-31	53.75	77.1	41.09	67.9	41.77	75.4	–	–
Tuesday	2026-09-01	56.01	83.7	41.12	77.2	43.38	77.2	–	–
Wednesday	2026-09-02	53.61	82.5	43.17	70.6	47.92	81.6	–	–
Thursday	2026-09-03	51.4	79.8	48.05	80.9	38.49	66.4	–	–
Friday	2026-09-04	49.88	76	45.9	73.7	42.81	67.5	–	–
Saturday	2026-09-05	45.39	77.3	51.13	80.9	42.15	63.4	–	–
Sunday	2026-09-06	–	–	–	–	43.64	68.8	45.5	76.8

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-31 07:00 - 2026-09-07 07:00 (Europe/Oslo)

NB!
 Values are corrected by -6 dBA

Measuring point KK_23
Description Dr. Galtungs vei 5
Sensor type S50
Sensor serial no. 15725
Master(s) serial no. 5879
Latest calibration 2025-09-23
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-31	67.62	90.5	46.23	64.9	42.98	62.8	–	–
Tuesday	2026-09-01	76.12	97.1	45.94	65.1	48.26	72.6	–	–
Wednesday	2026-09-02	78.16	102	49.87	67	46.57	72.3	–	–
Thursday	2026-09-03	65.24	93	48	79.3	42.87	71.6	–	–
Friday	2026-09-04	54.19	79.1	51.47	79.8	42.14	67.3	–	–
Saturday	2026-09-05	50.18	77.8	52.09	85.6	45.85	71.8	–	–
Sunday	2026-09-06	–	–	–	–	48.83	65	49.36	78.8

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-08-31 07:00 - 2026-09-07 07:00 (Europe/Oslo)

NB!
Values are corrected by -3 dBA

Measuring point KK_27
Description Skolegata 1
Sensor type S50
Sensor serial no. 12688
Master(s) serial no. 7342
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -3 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-08-31	74.94	99	57.25	81.4	53.32	74.3	–	–
Tuesday	2026-09-01	77.38	98.3	56.85	72.1	53.84	74.9	–	–
Wednesday	2026-09-02	77.52	99.3	58.05	75.8	54.04	74.3	–	–
Thursday	2026-09-03	72.05	102	57.29	75.8	54.33	89.7	–	–
Friday	2026-09-04	60.64	92.8	56.84	80.5	51.24	80.6	–	–
Saturday	2026-09-05	59.62	88.4	57.64	87.5	51.8	85.2	–	–
Sunday	2026-09-06	–	–	–	–	55.89	73.6	57.77	86