

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-07 07:00 - 2026-09-14 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_3
Description Fjordveien 31
Sensor type S50
Sensor serial no. 13834
Master(s) serial no. 5678
Latest calibration 2025-07-16
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-07	55.61	75	51.62	75.4	47.44	73.1	–	–
Tuesday	2026-09-08	60.66	88.6	51.02	70.7	47.96	70.2	–	–
Wednesday	2026-09-09	55.27	79	54.18	83	49.67	77.6	–	–
Thursday	2026-09-10	63.52	97.5	51.98	73	47.85	83.8	–	–
Friday	2026-09-11	56.2	79.1	–	–	45.83	64.3	–	–
Saturday	2026-09-12	53.91	80.8	51.97	70.3	47.1	78.7	–	–
Sunday	2026-09-13	–	–	–	–	47.22	67	53.86	86.8

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-07 07:00 - 2026-09-14 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_5
Description Dr. Galtungs vei 1
Sensor type S50
Sensor serial no. 14507
Master(s) serial no. 5276
Latest calibration 2025-03-04
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-07	63.85	94	49.58	70	46.76	74.7	–	–
Tuesday	2026-09-08	77.09	100.2	48.95	65.5	48.7	81.3	–	–
Wednesday	2026-09-09	53.41	86.3	50.63	83	49.15	82.8	–	–
Thursday	2026-09-10	71.36	97.9	49.87	76.8	46.11	71.9	–	–
Friday	2026-09-11	58.38	87.2	51.15	79.6	44.17	65.5	–	–
Saturday	2026-09-12	54.24	86.9	50.25	76.5	45.42	74.7	–	–
Sunday	2026-09-13	–	–	–	–	43.82	64.8	51.04	82.6

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-07 07:00 - 2026-09-14 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_14
Description Carl Jenssens vei 24
Sensor type S50
Sensor serial no. 12888
Master(s) serial no. 5541
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-07	44.82	70.7	38.27	68.7	36.43	57.9	–	–
Tuesday	2026-09-08	46.92	69.4	37.34	62	39.91	67.3	–	–
Wednesday	2026-09-09	46	82.5	43.64	63.8	42.93	68.3	–	–
Thursday	2026-09-10	56.19	94.9	41.67	79	38.64	65.6	–	–
Friday	2026-09-11	43.57	79.7	36.06	59.8	38.56	71.1	–	–
Saturday	2026-09-12	39.64	64.8	40.22	73.1	35.59	55.7	–	–
Sunday	2026-09-13	–	–	–	–	40.99	60.4	43.85	82.7

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-07 07:00 - 2026-09-14 07:00 (Europe/Oslo)

NB!

Values are corrected by -6 dBA

Measuring point KK_16
Description Løkkegata 2
Sensor type S50
Sensor serial no. 16458
Master(s) serial no. 7370
Latest calibration 2024-11-21
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-07	58.41	80.8	51.6	67.4	50.3	84.2	–	–
Tuesday	2026-09-08	74.34	98.8	52.12	72.3	48.24	67.3	–	–
Wednesday	2026-09-09	55.42	82.7	52.36	70.7	48.42	66.9	–	–
Thursday	2026-09-10	65.48	100.7	52.04	79.9	47.92	71.5	–	–
Friday	2026-09-11	59.37	80.5	51.69	66.2	44.86	69.3	–	–
Saturday	2026-09-12	58.39	86.8	52.55	66.9	45.65	70.3	–	–
Sunday	2026-09-13	–	–	–	–	47.22	64.4	52.32	77.8

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-07 07:00 - 2026-09-14 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_17
Description Sturlas vei 11
Sensor type S50
Sensor serial no. 11259
Master(s) serial no. 4426
Latest calibration 2025-11-03
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-07	57.81	88.4	45.58	78.1	45.05	76.6	–	–
Tuesday	2026-09-08	60.91	86.8	45.88	79.2	49.78	79.1	–	–
Wednesday	2026-09-09	56.83	85.2	51.03	79.3	51.66	84.1	–	–
Thursday	2026-09-10	61.73	90.5	52.43	80.3	46.78	73.7	–	–
Friday	2026-09-11	56.75	82.9	48.87	78.8	44.61	71.8	–	–
Saturday	2026-09-12	50.9	81.2	53.51	83	40.48	73.3	–	–
Sunday	2026-09-13	–	–	–	–	46.9	76.5	53.12	82.4

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-07 07:00 - 2026-09-14 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_19
Description Værlegata 14 Øst
Sensor type S50
Sensor serial no. 16455
Master(s) serial no. 4545
Latest calibration 2024-11-21
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-07	66.24	96.7	52.74	73.6	47.85	75.9	–	–
Tuesday	2026-09-08	90.56	109.6	52.4	79.3	47.85	74.3	–	–
Wednesday	2026-09-09	56.08	87.2	53.25	86.6	47.13	77.5	–	–
Thursday	2026-09-10	80.38	107	52.91	79.4	47.76	75.9	–	–
Friday	2026-09-11	58.91	84.6	52.92	75.7	44.6	81.5	–	–
Saturday	2026-09-12	55.02	85.3	53.77	77.8	47.37	78.5	–	–
Sunday	2026-09-13	–	–	–	–	46.33	76.8	52.81	88.4

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-07 07:00 - 2026-09-14 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_20
Description Høyenhaldgata 8A-L
Sensor type S50
Sensor serial no. 11966
Master(s) serial no. 3578
Latest calibration 2026-05-04
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-07	57.61	78.1	45.74	65.1	42.17	77.6	–	–
Tuesday	2026-09-08	77.45	101.4	45.17	69.3	41.1	65.6	–	–
Wednesday	2026-09-09	56.08	87.1	48.03	72.8	43.35	66	–	–
Thursday	2026-09-10	65.79	103.3	45.8	71	40.58	66	–	–
Friday	2026-09-11	50.13	73.8	44.81	69.9	38.11	67.2	–	–
Saturday	2026-09-12	48.53	73.1	45.2	75.5	38.62	65.6	–	–
Sunday	2026-09-13	–	–	–	–	38.44	65.9	45.21	71.5

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-07 07:00 - 2026-09-14 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_21
Description Fjordveien 34
Sensor type S50
Sensor serial no. 14065
Master(s) serial no. 7369
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-07	56.28	80.7	49.14	63.6	45.81	70.8	–	–
Tuesday	2026-09-08	72.72	99.1	45.78	80.8	42.43	69.7	–	–
Wednesday	2026-09-09	49.13	73.4	48.39	78.8	45.49	74.2	–	–
Thursday	2026-09-10	67.81	97.8	44.89	71.8	41.26	59.4	–	–
Friday	2026-09-11	50.84	78.2	44.8	69.6	39.33	59.7	–	–
Saturday	2026-09-12	49.99	75.8	48.74	67.3	41.75	64.3	–	–
Sunday	2026-09-13	–	–	–	–	40.36	56.1	46.88	74.3

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-07 07:00 - 2026-09-14 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_22
Description Carl Jenssens vei 18
Sensor type S50
Sensor serial no. 10756
Master(s) serial no. 5636
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-07	51.5	78.5	42.16	64.4	40.46	68.6	–	–
Tuesday	2026-09-08	54.3	80.6	40.9	71	44.22	74.1	–	–
Wednesday	2026-09-09	49.26	78.1	44.45	74	45.48	76.1	–	–
Thursday	2026-09-10	54.73	86.3	47.31	76.1	40.56	65.9	–	–
Friday	2026-09-11	50.22	81.8	44.05	77.9	39.31	65.3	–	–
Saturday	2026-09-12	46.11	77.2	51.21	80.8	36.91	62.1	–	–
Sunday	2026-09-13	–	–	–	–	42.27	64.7	46.28	77.2

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-07 07:00 - 2026-09-14 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_23
Description Dr. Galtungs vei 5
Sensor type S50
Sensor serial no. 15725
Master(s) serial no. 5879
Latest calibration 2025-09-23
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-07	56.3	80.1	52.63	71.1	49.1	72.4	–	–
Tuesday	2026-09-08	70.68	97.2	49.04	65.4	46.32	75.5	–	–
Wednesday	2026-09-09	52.26	77.3	49.88	74.3	47.75	81.6	–	–
Thursday	2026-09-10	66.6	96.5	48.44	72.8	44.28	66	–	–
Friday	2026-09-11	52.59	82.6	48.11	76.7	42.21	64.9	–	–
Saturday	2026-09-12	52.35	83.1	51.34	72.6	44.27	68.3	–	–
Sunday	2026-09-13	–	–	–	–	43.23	61.8	50.45	80.3

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-07 07:00 - 2026-09-14 07:00 (Europe/Oslo)

NB!
Values are corrected by -3 dBA

Measuring point KK_27
Description Skolegata 1
Sensor type S50
Sensor serial no. 12688
Master(s) serial no. 7342
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -3 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-07	60.95	86.5	57.21	72.7	55.68	88.1	–	–
Tuesday	2026-09-08	76.62	101.9	57.99	84.4	54.08	73.6	–	–
Wednesday	2026-09-09	60.66	90.6	58.39	85.6	54.29	73.9	–	–
Thursday	2026-09-10	66.86	108.6	58.1	89.1	53.56	79.1	–	–
Friday	2026-09-11	62.11	85.4	58.02	75	51.4	70.3	–	–
Saturday	2026-09-12	60.59	90.8	58.72	71.6	52.45	79.6	–	–
Sunday	2026-09-13	–	–	–	–	53.11	71.8	58.41	87.5