

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-14 07:00 - 2026-09-21 07:00 (Europe/Oslo)

NB!
 Values are corrected by -6 dBA

Measuring point KK_3
Description Fjordveien 31
Sensor type S50
Sensor serial no. 13834
Master(s) serial no. 5678
Latest calibration 2025-07-16
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-14	55.66	76.6	54.76	90.2	45.46	64.8	–	–
Tuesday	2026-09-15	56.2	77.1	52.18	73.2	48.9	70.6	–	–
Wednesday	2026-09-16	54.75	79.9	52.55	73.3	48.29	75.5	–	–
Thursday	2026-09-17	55.38	83.8	52.87	78.1	48.1	79.6	–	–
Friday	2026-09-18	58.18	76.6	51.51	72.2	47.47	70.3	–	–
Saturday	2026-09-19	54.39	74.2	51.44	82.6	50.15	71.7	–	–
Sunday	2026-09-20	–	–	–	–	49.69	76.3	52.75	82.8

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-14 07:00 - 2026-09-21 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_5
Description Dr. Galtungs vei 1
Sensor type S50
Sensor serial no. 14507
Master(s) serial no. 5276
Latest calibration 2025-03-04
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-14	62.31	86.9	49.08	78.3	43.72	69.9	–	–
Tuesday	2026-09-15	59.38	84.3	50.52	66.1	51.16	81.9	–	–
Wednesday	2026-09-16	66.04	90.6	49.3	64.9	48.76	80.5	–	–
Thursday	2026-09-17	56.47	89.5	50.36	76.2	48.07	76.1	–	–
Friday	2026-09-18	56.43	86.7	52.21	71	48.47	72.3	–	–
Saturday	2026-09-19	55.9	86.2	50.36	79.7	51.17	70.3	–	–
Sunday	2026-09-20	–	–	–	–	48.76	71.2	52.28	83.1

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-14 07:00 - 2026-09-21 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_14
Description Carl Jenssens vei 24
Sensor type S50
Sensor serial no. 12888
Master(s) serial no. 5541
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-14	44.91	80.3	40.56	73.6	35.92	74.2	–	–
Tuesday	2026-09-15	45.29	70.3	38.78	78.2	39.04	69.1	–	–
Wednesday	2026-09-16	46.67	81	43.21	58.6	43.63	66	–	–
Thursday	2026-09-17	48.35	77.4	39.87	64.2	39.11	68.1	–	–
Friday	2026-09-18	46.84	81	39.32	68.8	37.28	62.5	–	–
Saturday	2026-09-19	43.23	78.5	38.02	66.8	38.05	67.2	–	–
Sunday	2026-09-20	–	–	–	–	43.16	67.1	42.25	73.7

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-14 07:00 - 2026-09-21 07:00 (Europe/Oslo)

NB!
 Values are corrected by -6 dBA

Measuring point KK_16
Description Løkkegata 2
Sensor type S50
Sensor serial no. 16458
Master(s) serial no. 7370
Latest calibration 2024-11-21
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-14	62.36	88.1	52.15	77.8	47.32	65.6	–	–
Tuesday	2026-09-15	60.75	81.1	52.31	76.9	48.65	69.1	–	–
Wednesday	2026-09-16	60.57	86.1	51.88	73.6	47.67	72.2	–	–
Thursday	2026-09-17	63.08	82.2	53.33	70.1	48.49	71.2	–	–
Friday	2026-09-18	64.65	83.4	51.53	71.3	46.08	73.4	–	–
Saturday	2026-09-19	55.93	80.2	51.08	73.5	47.36	72	–	–
Sunday	2026-09-20	–	–	–	–	48.13	71.5	52.64	79.6

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-14 07:00 - 2026-09-21 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_17
Description Sturlas vei 11
Sensor type S50
Sensor serial no. 11259
Master(s) serial no. 4426
Latest calibration 2025-11-03
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-14	56.54	84.7	48.97	77.6	43.36	76.3	–	–
Tuesday	2026-09-15	57.37	86.4	46.79	86.2	49.18	83.3	–	–
Wednesday	2026-09-16	58.08	83.6	47.07	73	52.96	86.7	–	–
Thursday	2026-09-17	57.7	87.2	50.55	80.9	47.42	80.2	–	–
Friday	2026-09-18	55.07	84.6	48.25	75	45.85	78.6	–	–
Saturday	2026-09-19	48.84	87.9	45.34	77	45.19	76	–	–
Sunday	2026-09-20	–	–	–	–	47.36	71.4	51.79	87.4

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-14 07:00 - 2026-09-21 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_19
Description Værlegata 14 Øst
Sensor type S50
Sensor serial no. 16455
Master(s) serial no. 4545
Latest calibration 2024-11-21
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-14	74.85	101.1	54.09	86.4	46.63	69.3	–	–
Tuesday	2026-09-15	72.86	102.6	53.38	73.5	49.59	75.2	–	–
Wednesday	2026-09-16	61.47	92	51.11	74.5	46.84	78.6	–	–
Thursday	2026-09-17	58.07	92.9	54.36	76.3	48.23	72	–	–
Friday	2026-09-18	56.99	86.4	52.61	74.8	47.23	65.6	–	–
Saturday	2026-09-19	55.86	80.1	53.12	86.5	50.94	80.7	–	–
Sunday	2026-09-20	–	–	–	–	46.47	73.4	53.42	90.2

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-14 07:00 - 2026-09-21 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_20
Description Høyenhaldgata 8A-L
Sensor type S50
Sensor serial no. 11966
Master(s) serial no. 3578
Latest calibration 2026-05-04
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-14	62.47	92.8	45.36	71.4	37.76	64.8	–	–
Tuesday	2026-09-15	54.67	83.4	46.25	68.9	44.28	70.1	–	–
Wednesday	2026-09-16	54.52	83.8	46.51	67.5	39.4	65.4	–	–
Thursday	2026-09-17	50.82	75.2	45.21	71.3	42.54	70.3	–	–
Friday	2026-09-18	51.58	76	47.17	67.5	42.18	71.2	–	–
Saturday	2026-09-19	49.98	74.8	46.37	75.8	43.89	71.3	–	–
Sunday	2026-09-20	–	–	–	–	46.26	73.2	47.79	73.2

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-14 07:00 - 2026-09-21 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_21
Description Fjordveien 34
Sensor type S50
Sensor serial no. 14065
Master(s) serial no. 7369
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-14	56.21	79.8	44.52	76.6	39.4	63.1	–	–
Tuesday	2026-09-15	53.61	78.5	50.59	67.2	49.81	73.5	–	–
Wednesday	2026-09-16	53.94	78.1	45.9	65.8	42.78	73.4	–	–
Thursday	2026-09-17	50.75	84.1	45.81	63.6	45.35	65.7	–	–
Friday	2026-09-18	54.99	84.2	50.63	65.6	47.91	76.4	–	–
Saturday	2026-09-19	55.46	77.3	47.95	68.3	50.68	75.8	–	–
Sunday	2026-09-20	–	–	–	–	49.33	71.5	49.88	77.8

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-14 07:00 - 2026-09-21 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_23
Description Dr. Galtungs vei 5
Sensor type S50
Sensor serial no. 15725
Master(s) serial no. 5879
Latest calibration 2025-09-23
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-14	55.85	79.9	47.27	74.6	43.14	64.9	–	–
Tuesday	2026-09-15	54.18	82.3	52.78	65	52.53	80.3	–	–
Wednesday	2026-09-16	54.21	78.3	48.6	65	47.47	81.6	–	–
Thursday	2026-09-17	52.92	81.2	49.56	70.3	48.03	69.8	–	–
Friday	2026-09-18	55.24	79	53.08	67.1	50.77	71.1	–	–
Saturday	2026-09-19	58.59	74.1	50.59	69.8	53.54	78.5	–	–
Sunday	2026-09-20	–	–	–	–	50.58	70.1	52.61	83.1

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-14 07:00 - 2026-09-21 07:00 (Europe/Oslo)

NB!
Values are corrected by -3 dBA

Measuring point KK_27
Description Skolegata 1
Sensor type S50
Sensor serial no. 12688
Master(s) serial no. 7342
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -3 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-14	63.67	90	57.57	79.5	53.01	71.1	–	–
Tuesday	2026-09-15	62.62	87.6	58.38	74.5	54.59	72.3	–	–
Wednesday	2026-09-16	62.52	99.1	58.03	89.5	53.35	71.7	–	–
Thursday	2026-09-17	63.76	92.3	59.2	71	54.3	70.9	–	–
Friday	2026-09-18	64.31	91	57.8	81	51.96	80.7	–	–
Saturday	2026-09-19	60.17	92.2	57.54	83.7	53.15	86.2	–	–
Sunday	2026-09-20	–	–	–	–	54.2	75.4	58.89	86.8

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-14 07:00 - 2026-09-21 07:00 (Europe/Oslo)

NB!
 Values are corrected by -6 dBA

Measuring point KK_28
Description Snorres vei 4
Sensor type S50
Sensor serial no. 10756
Master(s) serial no. 5636
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Friday	2026-09-18	48.74	76	47.33	65.7	46.26	66.4	–	–
Saturday	2026-09-19	49.8	75.1	46.43	81.9	47.54	76.9	–	–
Sunday	2026-09-20	–	–	–	–	47.9	67.2	48.34	69.6