

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-21 07:00 - 2026-09-28 07:00 (Europe/Oslo)

NB!
 Values are corrected by -6 dBA

Measuring point KK_3
Description Fjordveien 31
Sensor type S50
Sensor serial no. 13834
Master(s) serial no. 5678
Latest calibration 2025-07-16
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-21	57.67	78.1	53.28	77.1	47.62	69.7	–	–
Tuesday	2026-09-22	56.31	78.4	52.42	76.6	47.37	68	–	–
Wednesday	2026-09-23	56.25	75.9	53.15	75.4	51.4	72.4	–	–
Thursday	2026-09-24	56.78	77.9	52.93	73.8	46.69	68.5	–	–
Friday	2026-09-25	54.86	79.1	51.36	74	45.95	73.7	–	–
Saturday	2026-09-26	53.58	79.7	50.94	75	45.75	66.5	–	–
Sunday	2026-09-27	–	–	–	–	46.07	74.6	51.41	77.6

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-21 07:00 - 2026-09-28 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_5
Description Dr. Galtungs vei 1
Sensor type S50
Sensor serial no. 14507
Master(s) serial no. 5276
Latest calibration 2025-03-04
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-21	58.29	87.8	50.18	80.2	44.48	64.3	–	–
Tuesday	2026-09-22	56.71	82.5	48.05	70.6	45.42	76.6	–	–
Wednesday	2026-09-23	63.21	91.4	49.86	69.8	49.41	77.2	–	–
Thursday	2026-09-24	58.04	84.6	49.88	73.7	44.74	73	–	–
Friday	2026-09-25	56.56	83.4	49.73	78.1	43.87	71.2	–	–
Saturday	2026-09-26	54.07	89	51.77	83.7	44.48	77.6	–	–
Sunday	2026-09-27	–	–	–	–	43.33	65.1	48.6	79.3

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-21 07:00 - 2026-09-28 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_14
Description Carl Jenssens vei 24
Sensor type S50
Sensor serial no. 12888
Master(s) serial no. 5541
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-21	52.69	75.3	43.02	58.3	43.71	64.9	–	–
Tuesday	2026-09-22	47.93	78.6	39.27	68.9	36.91	60.2	–	–
Wednesday	2026-09-23	48.06	88.7	38.27	66	43.45	63.3	–	–
Thursday	2026-09-24	47.73	77.2	43.36	72.4	40.31	62.4	–	–
Friday	2026-09-25	44.3	86.4	38.1	72.3	39.82	60.3	–	–
Saturday	2026-09-26	45.71	75.8	38.65	63.9	36.46	62.8	–	–
Sunday	2026-09-27	–	–	–	–	35.69	60.9	40.44	76

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-21 07:00 - 2026-09-28 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_16
Description Løkkegata 2
Sensor type S50
Sensor serial no. 16458
Master(s) serial no. 7370
Latest calibration 2024-11-21
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-21	65.65	88	52.15	70.2	48.01	68.6	–	–
Tuesday	2026-09-22	66.1	85.6	50.89	72.7	46.87	71.8	–	–
Wednesday	2026-09-23	64.81	86.5	51.77	67.8	49.2	77.4	–	–
Thursday	2026-09-24	65.42	88.6	51.82	67.8	47.44	71	–	–
Friday	2026-09-25	64.22	86.6	51.39	79.6	44.57	67.3	–	–
Saturday	2026-09-26	54.68	82.1	50.59	77.5	44.97	66.3	–	–
Sunday	2026-09-27	–	–	–	–	47.47	65.6	51.86	80.3

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-21 07:00 - 2026-09-28 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_17
Description Sturlas vei 11
Sensor type S50
Sensor serial no. 11259
Master(s) serial no. 4426
Latest calibration 2025-11-03
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-21	59.29	79.8	46.44	76.7	46.66	73.4	–	–
Tuesday	2026-09-22	56.3	86.5	45.44	72.7	47.78	79.6	–	–
Wednesday	2026-09-23	61.69	84	48.03	76.3	50.51	82.3	–	–
Thursday	2026-09-24	55.03	80.7	51.26	81.3	46.09	73.8	–	–
Friday	2026-09-25	52.03	82.9	49.15	78.4	45.13	75.3	–	–
Saturday	2026-09-26	49.16	79.9	52.03	82.5	41.72	72	–	–
Sunday	2026-09-27	–	–	–	–	44.39	74.9	47.54	76.6

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-21 07:00 - 2026-09-28 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_19
Description Værlegata 14 Øst
Sensor type S50
Sensor serial no. 16455
Master(s) serial no. 4545
Latest calibration 2024-11-21
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-21	58.78	87.8	52.29	82	46.64	75.1	–	–
Tuesday	2026-09-22	58.1	86.4	51.38	76.2	46.46	82.2	–	–
Wednesday	2026-09-23	58.27	84.4	52.81	80.4	50.34	79.2	–	–
Thursday	2026-09-24	57.71	88.7	51.11	81.1	46.23	73.8	–	–
Friday	2026-09-25	57.07	87.1	53.78	90.1	45.52	79.1	–	–
Saturday	2026-09-26	53.22	87.9	51.09	73.1	46.28	80.3	–	–
Sunday	2026-09-27	–	–	–	–	46.91	68.8	52.56	86.4

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-21 07:00 - 2026-09-28 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_20
Description Høyenhaldgata 8A-L
Sensor type S50
Sensor serial no. 11966
Master(s) serial no. 3578
Latest calibration 2026-05-04
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-21	52.97	78.5	47.11	67.4	39.56	65.9	–	–
Tuesday	2026-09-22	50.62	74.5	43.44	68.6	37.21	65.7	–	–
Wednesday	2026-09-23	53.73	81	43.52	71.2	41.29	72.1	–	–
Thursday	2026-09-24	50.83	74	44.3	66.5	38.51	67.4	–	–
Friday	2026-09-25	49.48	71.1	43.42	67.7	38.13	67	–	–
Saturday	2026-09-26	49.54	77.4	43.95	70	37.81	66.8	–	–
Sunday	2026-09-27	–	–	–	–	37.72	63.8	44.81	76.7

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-21 07:00 - 2026-09-28 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_21
Description Fjordveien 34
Sensor type S50
Sensor serial no. 14065
Master(s) serial no. 7369
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-21	55.91	79.5	47.02	69.7	42.34	63.7	–	–
Tuesday	2026-09-22	64.75	94	45.02	73.2	40.17	66.4	–	–
Wednesday	2026-09-23	59.1	92.1	44.89	60.6	45.72	69.3	–	–
Thursday	2026-09-24	60.71	85.5	45.56	67.5	39.62	63.3	–	–
Friday	2026-09-25	58.02	85.1	44.92	66.5	39.82	70.7	–	–
Saturday	2026-09-26	49.87	75.7	46.26	73.5	40.41	67	–	–
Sunday	2026-09-27	–	–	–	–	41.27	59.3	45.4	73.9

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-21 07:00 - 2026-09-28 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_23
Description Dr. Galtungs vei 5
Sensor type S50
Sensor serial no. 15725
Master(s) serial no. 5879
Latest calibration 2025-09-23
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-21	54.57	82.2	49.98	74.1	44.3	64.8	–	–
Tuesday	2026-09-22	58.5	86.2	47.46	72.1	43.99	71.1	–	–
Wednesday	2026-09-23	58.24	87.6	48.22	66.1	48.99	75.5	–	–
Thursday	2026-09-24	59.8	79.8	48.71	72.7	43.1	71	–	–
Friday	2026-09-25	58.29	83.3	48.62	76.1	42.78	74.7	–	–
Saturday	2026-09-26	51.94	86.2	52.14	86.5	43.88	73	–	–
Sunday	2026-09-27	–	–	–	–	44.98	65.4	48.75	82.8

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-21 07:00 - 2026-09-28 07:00 (Europe/Oslo)

NB!
Values are corrected by -3 dBA

Measuring point KK_27
Description Skolegata 1
Sensor type S50
Sensor serial no. 12688
Master(s) serial no. 7342
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -3 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-21	65.8	92.7	58.32	90.3	53.71	75.1	–	–
Tuesday	2026-09-22	65.98	93	57.11	82.2	52.9	72.1	–	–
Wednesday	2026-09-23	63.31	86.7	57.61	71.3	55.09	71.7	–	–
Thursday	2026-09-24	66.34	93	57.66	74.9	53.3	77.6	–	–
Friday	2026-09-25	64.01	92.3	57.49	78.9	51.17	80.8	–	–
Saturday	2026-09-26	59.29	91.5	57.08	73.5	51.77	69.8	–	–
Sunday	2026-09-27	–	–	–	–	53.78	74.6	58.69	93

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-21 07:00 - 2026-09-28 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_28
Description Snorres vei 4
Sensor type S50
Sensor serial no. 10756
Master(s) serial no. 5636
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-21	52.21	78.4	45.42	70.9	45.71	65.5	–	–
Tuesday	2026-09-22	51.82	82.3	43.85	68.9	43.08	64.2	–	–
Wednesday	2026-09-23	49	78	44.37	65.8	46.28	68.8	–	–
Thursday	2026-09-24	50.56	73.2	48.97	68.4	45.34	68.1	–	–
Friday	2026-09-25	49.36	92.6	45.34	65.5	45.04	65.7	–	–
Saturday	2026-09-26	48.68	72.4	46.01	75.2	44.66	70.6	–	–
Sunday	2026-09-27	–	–	–	–	43.15	62.8	46.6	81