

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-28 07:00 - 2026-10-05 07:00 (Europe/Oslo)

NB!
 Values are corrected by -6 dBA

Measuring point KK_3
Description Fjordveien 31
Sensor type S50
Sensor serial no. 13834
Master(s) serial no. 5678
Latest calibration 2025-07-16
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-28	61.29	89.5	51.52	71.1	48.15	68.9	–	–
Tuesday	2026-09-29	71.76	96.3	53.5	85.3	48.64	75.5	–	–
Wednesday	2026-09-30	68.86	90.7	52.05	69.5	46.47	66.8	–	–
Thursday	2026-10-01	57.22	77	51.26	72.5	46.89	73.7	–	–
Friday	2026-10-02	58.27	78.2	51.39	73.8	45.81	66.9	–	–
Saturday	2026-10-03	53.99	79	51.97	67.1	47.32	70.3	–	–
Sunday	2026-10-04	–	–	–	–	47.98	71.9	52.66	78.8

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-28 07:00 - 2026-10-05 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_5
Description Dr. Galtungs vei 1
Sensor type S50
Sensor serial no. 14507
Master(s) serial no. 5276
Latest calibration 2025-03-04
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-28	79.97	103.2	48.26	63.2	45.74	70	–	–
Tuesday	2026-09-29	78.75	99.8	48.95	79.9	47.72	79.2	–	–
Wednesday	2026-09-30	77.45	99.2	47.11	69	41.84	63.9	–	–
Thursday	2026-10-01	61.92	91.2	46.48	66.2	43.25	64.6	–	–
Friday	2026-10-02	54.26	88.2	47.36	70.1	43.49	69.4	–	–
Saturday	2026-10-03	54.39	84.6	49.84	68.1	44.39	66.2	–	–
Sunday	2026-10-04	–	–	–	–	47.95	73.8	52.02	85.9

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-28 07:00 - 2026-10-05 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_14
Description Carl Jenssens vei 24
Sensor type S50
Sensor serial no. 12888
Master(s) serial no. 5541
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-28	47.16	74.5	38.91	65.2	44.79	77.6	–	–
Tuesday	2026-09-29	60.38	85.6	42.54	69.9	39.53	58	–	–
Wednesday	2026-09-30	54.16	79.1	38.98	56.2	37.44	65.3	–	–
Thursday	2026-10-01	44.83	72.4	38.89	77.3	37.73	55.9	–	–
Friday	2026-10-02	43.17	75.6	36.78	68	37.37	62.8	–	–
Saturday	2026-10-03	43.07	77.6	43.42	70.5	40.2	55.7	–	–
Sunday	2026-10-04	–	–	–	–	37.3	65.7	40.61	77

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-28 07:00 - 2026-10-05 07:00 (Europe/Oslo)

NB!
 Values are corrected by -6 dBA

Measuring point KK_16
Description Løkkegata 2
Sensor type S50
Sensor serial no. 16458
Master(s) serial no. 7370
Latest calibration 2024-11-21
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-28	74.63	99.2	52.01	79	48.09	63.2	–	–
Tuesday	2026-09-29	73.61	99.1	52.16	79	47.48	64.7	–	–
Wednesday	2026-09-30	70.83	95.2	51.62	77.3	46.56	73.9	–	–
Thursday	2026-10-01	58.51	82.7	51.79	86.1	48.45	72	–	–
Friday	2026-10-02	60.69	85.6	50.29	63.8	45.6	68.2	–	–
Saturday	2026-10-03	57.68	79.4	51.8	64.8	46.04	64.7	–	–
Sunday	2026-10-04	–	–	–	–	49	75.3	53.21	82.1

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-28 07:00 - 2026-10-05 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_17
Description Sturlas vei 11
Sensor type S50
Sensor serial no. 11259
Master(s) serial no. 4426
Latest calibration 2025-11-03
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-28	55.69	81.8	46.33	75.3	48.64	76.4	–	–
Tuesday	2026-09-29	62.87	85.4	49.12	74.8	51.26	83.9	–	–
Wednesday	2026-09-30	61.18	84.9	45.06	68.4	43.75	68.9	–	–
Thursday	2026-10-01	57.63	81.1	44.55	68.4	44.51	67.5	–	–
Friday	2026-10-02	51.8	84.6	42.93	69.2	41.68	67.2	–	–
Saturday	2026-10-03	49.39	79.2	51.04	72.8	44.23	73	–	–
Sunday	2026-10-04	–	–	–	–	45.47	78.8	49.87	86.1

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-28 07:00 - 2026-10-05 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_19
Description Værlegata 14 Øst
Sensor type S50
Sensor serial no. 16455
Master(s) serial no. 4545
Latest calibration 2024-11-21
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-28	90.16	108.4	51.62	72.5	46.93	75.4	–	–
Tuesday	2026-09-29	90.26	108.2	52.32	83.7	47.61	77.2	–	–
Wednesday	2026-09-30	89.16	107.9	51.23	70.2	47.78	72.1	–	–
Thursday	2026-10-01	70.42	100.2	51.16	74.7	49.12	76.5	–	–
Friday	2026-10-02	56.47	78.4	51.22	74	47.05	82.1	–	–
Saturday	2026-10-03	56.62	94.2	53.48	75.8	46.49	76.7	–	–
Sunday	2026-10-04	–	–	–	–	48.49	73.4	53.43	85.5

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-28 07:00 - 2026-10-05 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_20
Description Høyenhaldgata 8A-L
Sensor type S50
Sensor serial no. 11966
Master(s) serial no. 3578
Latest calibration 2026-05-04
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-28	76.19	102.4	44.06	67.3	40.53	76	–	–
Tuesday	2026-09-29	74.25	100.5	44.88	70.1	38.69	69.2	–	–
Wednesday	2026-09-30	69.96	94.5	42.1	65.8	36.82	64.7	–	–
Thursday	2026-10-01	50.87	79.5	41.94	67.3	37.1	64	–	–
Friday	2026-10-02	49.79	79.1	41.11	69.1	39.81	64.6	–	–
Saturday	2026-10-03	50.13	73.3	46.44	76.4	41.29	65.4	–	–
Sunday	2026-10-04	–	–	–	–	42.82	67.2	46.39	86

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-28 07:00 - 2026-10-05 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_21
Description Fjordveien 34
Sensor type S50
Sensor serial no. 14065
Master(s) serial no. 7369
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-28	72.82	97.8	44.23	60.1	42.21	63	–	–
Tuesday	2026-09-29	76.7	100.7	46.16	69.8	42.16	69.6	–	–
Wednesday	2026-09-30	73.74	95.4	43.77	62.9	38.97	60.6	–	–
Thursday	2026-10-01	69.19	93	43.26	67.8	40.2	60.3	–	–
Friday	2026-10-02	58.81	88.1	43.17	72.4	40.84	58.1	–	–
Saturday	2026-10-03	59.23	79.9	46.48	64.9	41.64	64.3	–	–
Sunday	2026-10-04	–	–	–	–	47.35	69.7	49.76	76.5

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-28 07:00 - 2026-10-05 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_23
Description Dr. Galtungs vei 5
Sensor type S50
Sensor serial no. 15725
Master(s) serial no. 5879
Latest calibration 2025-09-23
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-28	69.48	94.6	47.73	62.8	45.08	70	–	–
Tuesday	2026-09-29	77.32	100.2	48.65	71.8	46.09	76.7	–	–
Wednesday	2026-09-30	75.98	98.4	47.15	68	41.77	62.6	–	–
Thursday	2026-10-01	61.79	82.9	46.66	62.3	43.75	64	–	–
Friday	2026-10-02	55.34	86.9	46.26	67.7	43.14	62.7	–	–
Saturday	2026-10-03	58.55	78.4	49.01	67.2	43.12	65.2	–	–
Sunday	2026-10-04	–	–	–	–	50.48	78.5	53.67	84.5

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-28 07:00 - 2026-10-05 07:00 (Europe/Oslo)

NB!
 Values are corrected by -3 dBA

Measuring point KK_27
Description Skolegata 1
Sensor type S50
Sensor serial no. 12688
Master(s) serial no. 7342
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -3 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-28	75.47	102.9	58.14	83.7	54.22	72	–	–
Tuesday	2026-09-29	71.68	99.8	57.73	79.6	53.36	71.9	–	–
Wednesday	2026-09-30	69.73	95.3	57.61	81.6	52.97	79.4	–	–
Thursday	2026-10-01	60.8	88.6	57.86	92.5	54.45	71.2	–	–
Friday	2026-10-02	62.5	90.3	56.75	75.5	52.07	75.5	–	–
Saturday	2026-10-03	60.31	87.8	58.17	74.2	52.94	79.3	–	–
Sunday	2026-10-04	–	–	–	–	54.75	76.3	59.13	85.5

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-09-28 07:00 - 2026-10-05 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_28
Description Snorres vei 4
Sensor type S50
Sensor serial no. 10756
Master(s) serial no. 5636
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-09-28	51.41	78.9	46.52	82.8	47.18	72.4	–	–
Tuesday	2026-09-29	59.23	83.1	46.02	70.1	44	65.1	–	–
Wednesday	2026-09-30	55.6	79.9	43.04	66.5	43.37	65.9	–	–
Thursday	2026-10-01	48.39	81	43.77	66.7	44.22	72.2	–	–
Friday	2026-10-02	49.96	91.6	43.48	67	46.07	72.3	–	–
Saturday	2026-10-03	50.8	76.8	47.67	72.5	45.54	66.9	–	–
Sunday	2026-10-04	–	–	–	–	46.04	71.2	47.23	77.6