

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-10-12 07:00 - 2026-10-19 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_3
Description Fjordveien 31
Sensor type S50
Sensor serial no. 13834
Master(s) serial no. 5678
Latest calibration 2025-07-16
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-10-12	56.87	90.3	53.72	74.4	47.49	82.3	–	–
Tuesday	2026-10-13	55.09	73.7	53.28	73.3	50.14	68.9	–	–
Wednesday	2026-10-14	56.14	75.4	52.41	85.4	48.19	78.5	–	–
Thursday	2026-10-15	55.58	75.7	52.03	77.3	47.97	77.9	–	–
Friday	2026-10-16	56.26	79	53.12	71	47.96	69.7	–	–
Saturday	2026-10-17	55.6	82.9	52.76	71.5	48.09	75.7	–	–
Sunday	2026-10-18	–	–	–	–	47.99	70.6	53.7	78.9

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-10-12 07:00 - 2026-10-19 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_5
Description Dr. Galtungs vei 1
Sensor type S50
Sensor serial no. 14507
Master(s) serial no. 5276
Latest calibration 2025-03-04
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-10-12	59.2	91.4	49.9	67.9	43.86	71.3	–	–
Tuesday	2026-10-13	58.19	85	49.77	65.7	49.24	79.3	–	–
Wednesday	2026-10-14	64.26	93.2	49.53	76.4	51.55	83.4	–	–
Thursday	2026-10-15	69.91	87.8	50.92	69.6	47.96	77	–	–
Friday	2026-10-16	58.68	84.2	50.51	66.6	44.93	69	–	–
Saturday	2026-10-17	54.86	82.8	50.55	74.9	45.58	74.9	–	–
Sunday	2026-10-18	–	–	–	–	44.9	67.1	51.03	78.3

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-10-12 07:00 - 2026-10-19 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_14
Description Carl Jenssens vei 24
Sensor type S50
Sensor serial no. 12888
Master(s) serial no. 5541
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-10-12	47.17	79	42.77	57.7	35.16	54.3	–	–
Tuesday	2026-10-13	43.55	74	41.28	75.6	43.94	67.1	–	–
Wednesday	2026-10-14	47.62	78.4	37.73	74.1	38.23	64.2	–	–
Thursday	2026-10-15	44.84	70.3	38.61	54.5	38.4	60.8	–	–
Friday	2026-10-16	45.07	77	40.79	61	41.31	60	–	–
Saturday	2026-10-17	46.06	78.2	43.69	74.3	41.75	63.2	–	–
Sunday	2026-10-18	–	–	–	–	37.16	65.3	43.43	76.8

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-10-12 07:00 - 2026-10-19 07:00 (Europe/Oslo)

NB!
 Values are corrected by -6 dBA

Measuring point KK_16
Description Løkkegata 2
Sensor type S50
Sensor serial no. 16458
Master(s) serial no. 7370
Latest calibration 2024-11-21
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-10-12	57.97	79	52.84	77.9	46.78	65.5	–	–
Tuesday	2026-10-13	56.87	76.6	53.41	65.8	50.22	68.9	–	–
Wednesday	2026-10-14	59.34	84.1	52.21	72.8	48.13	70.9	–	–
Thursday	2026-10-15	59.28	83.5	52.3	70.7	47.84	71	–	–
Friday	2026-10-16	57.93	80.7	52.92	66.9	45.98	68	–	–
Saturday	2026-10-17	54.63	84.7	52.29	80.1	45.51	75	–	–
Sunday	2026-10-18	–	–	–	–	47.82	72.5	53.07	82.4

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-10-12 07:00 - 2026-10-19 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_17
Description Sturlas vei 11
Sensor type S50
Sensor serial no. 11259
Master(s) serial no. 4426
Latest calibration 2025-11-03
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-10-12	50.37	79.4	37.9	62	39.23	68.8	–	–
Tuesday	2026-10-13	50.96	82.9	40	74.6	43.26	74.1	–	–
Wednesday	2026-10-14	48.38	77.1	44.67	73.4	48.94	83.2	–	–
Thursday	2026-10-15	50.24	77.3	45.59	71.8	49.22	81	–	–
Friday	2026-10-16	53.47	80.9	47.11	75	44.51	71.5	–	–
Saturday	2026-10-17	51.29	78.8	50.96	82.1	46.49	76.3	–	–
Sunday	2026-10-18	–	–	–	–	46.78	77.2	51.87	86.5

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-10-12 07:00 - 2026-10-19 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_19
Description Værlegata 14 Øst
Sensor type S50
Sensor serial no. 16455
Master(s) serial no. 4545
Latest calibration 2024-11-21
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-10-12	59.25	93.1	52.63	75.5	47.55	75.3	–	–
Tuesday	2026-10-13	61.33	86.6	54.86	73.5	50.62	77.1	–	–
Wednesday	2026-10-14	57.55	88.1	53.26	84.1	49.08	76.6	–	–
Thursday	2026-10-15	60.09	86.8	52.61	73.1	48.51	84.9	–	–
Friday	2026-10-16	58.12	85.2	52.06	81.2	46.51	81.2	–	–
Saturday	2026-10-17	54.17	90.5	51.38	81	47.22	80.5	–	–
Sunday	2026-10-18	–	–	–	–	47.53	82.5	52.26	84.3

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-10-12 07:00 - 2026-10-19 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_20
Description Høyenhaldgata 8A-L
Sensor type S50
Sensor serial no. 11966
Master(s) serial no. 3578
Latest calibration 2026-05-04
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-10-12	52.38	80.1	46.83	76.1	36.88	67.5	–	–
Tuesday	2026-10-13	50.2	76.8	44.69	69.8	44.88	65.3	–	–
Wednesday	2026-10-14	53.77	73.3	45.25	69.3	43.74	74.7	–	–
Thursday	2026-10-15	53.72	75.5	47.83	75.7	41.58	64.2	–	–
Friday	2026-10-16	51.73	85	45.71	65.7	40.03	63.8	–	–
Saturday	2026-10-17	48.1	78.5	46.73	71.2	38.3	64.8	–	–
Sunday	2026-10-18	–	–	–	–	38.08	64.3	46.44	73.7

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-10-12 07:00 - 2026-10-19 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_21
Description Fjordveien 34
Sensor type S50
Sensor serial no. 14065
Master(s) serial no. 7369
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-10-12	53.72	79.7	47.1	63.6	39.65	64.7	–	–
Tuesday	2026-10-13	51.47	76.3	47.16	59.8	46.33	70.1	–	–
Wednesday	2026-10-14	55.31	84.9	45.98	70.4	49.6	78.2	–	–
Thursday	2026-10-15	58.63	80.4	53.45	66.2	44.76	66.8	–	–
Friday	2026-10-16	60.28	78.5	47.03	65.4	42.35	69.5	–	–
Saturday	2026-10-17	56.07	81.5	47.38	66.4	42.07	69	–	–
Sunday	2026-10-18	–	–	–	–	41.02	59.9	47.54	76

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-10-12 07:00 - 2026-10-19 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_23
Description Dr. Galtungs vei 5
Sensor type S50
Sensor serial no. 15725
Master(s) serial no. 5879
Latest calibration 2025-09-23
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-10-12	54.68	79.5	50.2	66.8	42.75	71.4	–	–
Tuesday	2026-10-13	52.1	80.4	49.73	65.3	48.43	75.7	–	–
Wednesday	2026-10-14	55.55	84.6	49.42	68.9	53.05	81.6	–	–
Thursday	2026-10-15	60.28	85.5	56.37	68.1	47.96	76.5	–	–
Friday	2026-10-16	60.84	79.8	50.45	68.2	44.34	66.8	–	–
Saturday	2026-10-17	55.85	84.2	51.24	76.6	45.42	70	–	–
Sunday	2026-10-18	–	–	–	–	44.43	67.5	51.06	77.1

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-10-12 07:00 - 2026-10-19 07:00 (Europe/Oslo)

NB!
Values are corrected by -3 dBA

Measuring point KK_27
Description Skolegata 1
Sensor type S50
Sensor serial no. 12688
Master(s) serial no. 7342
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -3 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-10-12	61.25	92.5	58.71	81.5	53.15	71	–	–
Tuesday	2026-10-13	60.82	94.4	59.68	70.7	56.31	76.8	–	–
Wednesday	2026-10-14	62.21	93	58.23	72.5	53.43	77.1	–	–
Thursday	2026-10-15	61.69	87.8	57.69	72.6	53.57	80.9	–	–
Friday	2026-10-16	61.15	88.7	58.96	71.6	52.28	72.3	–	–
Saturday	2026-10-17	58.96	88.2	58.03	81.9	52.05	75.8	–	–
Sunday	2026-10-18	–	–	–	–	53.84	71.7	58.95	91.9

Project SMS Sentrum, støy og vibrasjon Moss
Project maintainer Pål Jørgen Streitlien
Customer Bane NOR
Customer contact Ingunn Helen Bjørnstad
Time frame 2026-10-12 07:00 - 2026-10-19 07:00 (Europe/Oslo)

NB!
Values are corrected by -6 dBA

Measuring point KK_28
Description Snorres vei 4
Sensor type S50
Sensor serial no. 10756
Master(s) serial no. 5636
Latest calibration 2025-10-15
Standard (03) Lmax + Leq 40-115 dBA Fast
Unit dBA
Quantity Sound Pres.Level, Eqv.Sound Pres.L
Interval time 2 minutes
dBCorr -6 dB
Table threshold High

Date		Dag Mon - Sat 7 - 19 60 dBA		Kveld Mon - Sat 19 - 23 55 dBA		Natt Mon - Sun 23 - 7 45 dBA		Søndag Sun 7 - 23 55 dBA	
		Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA	Leq, dBA	Lmax, dBA
Monday	2026-10-12	52.12	85.6	44.72	64.8	44.68	67.7	–	–
Tuesday	2026-10-13	49.32	79.4	46.16	65.5	48.27	71.6	–	–
Wednesday	2026-10-14	51.99	93.1	43.86	67.9	46.72	73.3	–	–
Thursday	2026-10-15	53.66	76	47.26	61.9	45.05	72.2	–	–
Friday	2026-10-16	53.75	92.1	44.75	61.6	44.61	69.7	–	–
Saturday	2026-10-17	50.23	79.8	46.74	76.3	44.43	64.4	–	–
Sunday	2026-10-18	–	–	–	–	44.85	72.6	49.07	87.8